

Contents

| | | |
|----------|--|-----|
| 1 | Introduction | 1 |
| 1.1 | Long time existence for perturbed evolution equations | 1 |
| 1.2 | The use of dispersion | 2 |
| 1.3 | Vector fields methods and global solutions | 3 |
| 1.4 | Klainerman–Sobolev estimates in one dimension | 6 |
| 1.5 | The case of long range nonlinearities | 9 |
| 1.6 | More general nonlinearities and normal forms | 15 |
| 1.7 | Perturbations of non-zero stationary solution | 21 |
| 1.8 | The kink problem. I | 24 |
| 1.9 | The kink problem II. Coupling with the bound state | 27 |
| 2 | The kink problem | 31 |
| 2.1 | Statement of the main result | 31 |
| 2.2 | Reduced system | 33 |
| 2.3 | Step 1: Writing of the system from multilinear operators | 37 |
| 2.4 | Step 2: First quadratic normal form | 37 |
| 2.5 | Step 3: Approximate solution | 38 |
| 2.6 | Step 4: Reduced form of dispersive equation | 41 |
| 2.7 | Step 5: Normal forms | 43 |
| 2.8 | Step 6: Bootstrap of L^2 estimates | 46 |
| 2.9 | Step 7: Bootstrap of L^∞ estimates and end of proof | 46 |
| 2.10 | Further comments | 47 |
| 3 | First quadratic normal form | 53 |
| 3.1 | Expression of the equation from multilinear operators | 53 |
| 3.2 | First quadratic normal form | 56 |
| 4 | Construction of approximate solutions | 59 |
| 4.1 | Approximate solution to the dispersive equation | 59 |
| 4.2 | Asymptotic analysis of the ODE | 73 |
| 5 | Reduced form of dispersive equation | 81 |
| 5.1 | A fixed point theorem | 81 |
| 5.2 | Reduction of the dispersive equation | 87 |
| 6 | Normal forms | 103 |
| 6.1 | Expression of the equation as a system | 104 |
| 6.2 | Normal forms | 108 |

| | |
|---|-----|
| 7 Bootstrap: L^2 estimates | 117 |
| 7.1 Estimates for cubic and quartic terms | 117 |
| 7.2 Estimates for quadratic terms | 122 |
| 7.3 Higher-order terms | 124 |
| 8 L^∞ estimates and end of bootstrap | 139 |
| 8.1 L^∞ estimates | 139 |
| 8.2 Bootstrap of L^∞ estimates | 145 |
| 8.3 End of bootstrap argument | 152 |
| A Scattering for time independent potential | 155 |
| A.1 Statement of main proposition | 155 |
| A.2 Proof of main proposition | 157 |
| B (Semiclassical) pseudo-differential operators | 165 |
| B.1 Classes of symbols and their quantization | 166 |
| B.2 Symbolic calculus | 169 |
| C Bounds for forced linear Klein–Gordon equations | 177 |
| C.1 Linear solutions to half-Klein–Gordon equations | 177 |
| C.2 Action of linear and bilinear operators | 191 |
| C.3 An explicit computation | 199 |
| D Action of multilinear operators on Sobolev and Hölder spaces | 203 |
| D.1 Action of quantization of non-space-decaying symbols | 204 |
| D.2 Action of quantization of space decaying symbols | 213 |
| D.3 Weyl calculus | 223 |
| E Wave operators for time dependent potentials | 229 |
| E.1 Statement of the result | 229 |
| E.2 Technical lemmas | 234 |
| E.3 Proof of Proposition E.1.3 | 247 |
| F Division lemmas and normal forms | 253 |
| F.1 Division lemmas | 253 |
| F.2 Commutation results | 255 |
| F.3 Normal forms for non-characteristic terms | 258 |
| F.4 Quadratic normal forms for space decaying symbols | 259 |
| F.5 Sobolev estimates | 262 |
| G Verification of Fermi’s golden rule | 269 |
| G.1 Reductions | 269 |
| G.2 Proof of the non-vanishing of $\hat{Y}_2(\sqrt{2})$ | 270 |

| | |
|-----------------------------------|-----|
| References | 273 |
| List of notation | 279 |