

INTRODUCTION

MICHAEL BAAKE, JONATHAN M. BORWEIN, YANN BUGEAUD,
AND MICHAEL COONS

I hope that you can continue with your preparing of my collected works. When my old papers first appeared, they produced little interest in the mathematical world, and it was only in recent times that they have been rediscovered and found useful. So a collection of all my papers may repair this position!

—[KURT MAHLER, in his last letter to Alf van der Poorten]


The quote above was taken from a letter written by Kurt Mahler to Alf van der Poorten the day before Mahler died on 25 February 1988; it was received after van der Poorten had heard about Mahler's death.

At that time van der Poorten had already begun to collect Mahler's works. Over thirty years have now passed since Mahler's death, and just over nine years since van der Poorten's. In 2012, in memory of van der Poorten, three of us—Bugeaud and Coons, along with the late Jonathan Borwein—finished van der Poorten's project and established the *Kurt Mahler Archive*. The Archive is hosted by the Centre for Computer-Assisted Research Mathematics and its Applications (CARMA), which is located at the University of Newcastle, Australia. It can be found using the following URL: <http://carma.newcastle.edu.au/mahler/index.html> .

This introduction is an updated and slightly edited version of *The Legacy of Kurt Mahler* by Borwein, Bugeaud and Coons, which appeared in the Newsletter of the European Mathematical Society (EMS Newsletter, March 2014, 19–23). That article was solicited by the editor of the EMS Newsletter after they learned of the Kurt Mahler Archive. The content of that original article is used here with permission of the European Mathematical Society.

1 MAHLER, THE MAN

As Coates states in his Preface to this volume, Mahler was born in Krefeld, Germany, on 20 July 1903. He did not come out of an academic family, but nonetheless, from one which loved the printed word; his father ran a printing firm. While first entering academia in a non-traditional way, Mahler should most appropriately be considered a student of Siegel, and this is how the *Mathematics Genealogy Project* has recorded it. Nevertheless, Mahler's first contact at Göttingen was with (visiting American mathematician) Norbert Wiener, for whom he worked as an unpaid assistant and wrote his first paper; more details about this episode in Mahler's life is given in the contribution *A Mahler Miscellany* by Bugeaud and Coons in this volume. With the change of power in 1933, Mahler realised that he would need to leave Germany. After six weeks in Amsterdam, Mahler spent the academic year 1933–34 in Manchester under a fellowship secured by Mordell. He spent most of the next few years in the Netherlands until returning to the University of Manchester in 1937, where he remained for twenty-five years. After that, with the exception of a few years hiatus in the United States of America, he was an Australian mathematician.¹



Kurt Mahler (1903–1988)

¹There are numerous biographies of Kurt Mahler, which are extremely well written. Thus we will not dwell too much on this here. See [1, 2, 3, 5, 6, 7].

2 MAHLER AND NUMBER THEORY IN AUSTRALIA

Under the invitation of B. H. Neumann, in 1962, Mahler visited Australia, and in particular, the then quite new Australian National University (ANU). He was impressed enough to quickly join the ANU as a Professor in its Institute of Advanced Studies. As Mahler recollects,

There was at this time no teaching of number theory in the undergraduate school (School of General Studies) at the ANU. I therefore gave a course on this subject to second and third year students at the SGS, probably the first one ever in Canberra. One of my undergraduates, Coates, asked me to introduce him to research. I provided him with problems to work on, and by the time he obtained his BSc, he had already several papers published or in print.

—KURT MAHLER [6]

One gains much more appreciation for Mahler reading his student's view of the same time.

Mahler was also very concerned with sowing the seeds of his own mathematical knowledge in his new country. As in his own mathematical research, he instinctively felt that the best way to do this was to go back to first principles, and to begin by teaching beginners in the subject. The ANU had begun to award undergraduate degrees only a few years before Mahler arrived, and Hannah Neumann was appointed to head the new Department of Mathematics in the teaching side of the University (the School of General Studies) at about the same time that Mahler took up his chair. Between them, they arranged for Mahler to give two courses to the small number of undergraduates reading mathematics, one in 1963 on elementary number theory, and the second in 1964 on the elliptic modular function $j(z)$. One of us had the good fortune to attend these courses. Mahler started and finished each lecture with extraordinary punctuality; in between, the audience was given a rare insight into his understanding of and enthusiasm for the material of the lecture. As he spoke, he would produce a beautiful written exposition on the blackboard of the key points, which were neatly placed in order in his characteristic rectangular boxes. Although he seemed at first so different and forbidding, we soon discovered that he was very willing to talk about his knowledge of mathematics in general, and to lend us his own mathematical books when we could not find them in the library. Mahler gave lectures at various summer schools in Canberra and elsewhere around Australia, as well as a number of advanced courses on transcendental number theory in the Institute of Advanced Studies. In the end the fascination of what he was doing beguiled us

both into research in number theory, and we made our first steps in mathematical research on problems suggested by him.

—JOHN COATES & ALF VAN DER POORTEN [6]

These two students are well-known to those of us in number theory and surrounds, and many of us beyond. John Coates—see his Preface in this volume—went on to become a Fellow of the Royal Society and was Sadleirian Professor of Pure Mathematics at Cambridge from 1986 to 2012. Soon after Mahler moved to Australia, at the encouragement of George Szekeres, Alf van der Poorten visited Mahler regularly in Canberra. A friendship based at first on a common interest in science fiction² turned quickly into a mathematical relationship. Van der Poorten became Mahler’s doctoral student, graduating³ in 1968. Alf van der Poorten went on to positions at the University of New South Wales and then Macquarie University, both in Sydney.

Van der Poorten continued Mahler’s legacy of number theory in Australia, both mathematically in a very interesting and important collaboration with John Loxton, and as a mentor and supporter of young Australian mathematicians⁴. Once such instance remembered by a former young Australian mathematician goes as follows.

I first encountered Alf’s unique style when I was a member of the Australian International Olympiad (IMO) team and we came across his wonderfully entertaining paper on Apéry’s proof of the irrationality of $\zeta(3)$. I assumed from his name that he was Dutch, and was then pleasantly surprised when I met Alf at the IMO team send-off reception and to find that he lived and worked in Sydney! He then and there told me what the p -adic numbers were and immediately offered me a job at any time in the future! I took him up on his offer at the end of my first year at Melbourne University, and spent six weeks in his office annex learning about elliptic curves, the Riemann–Roch theorem, the Weil conjectures, and, of course a lot of great stuff about recurrence relations (Skolem–Mahler–Lech) and continued fractions. I have always appreciated the time he spent talking to me—it was clear he cared a great deal about young Australian mathematicians.

²This is entirely evident from the correspondence between Mahler and van der Poorten. The amount of space devoted to science fiction is roughly asymptotic to that devoted to mathematics.

³Alf van der Poorten was enrolled as a student at the University of New South Wales, not at the ANU.

⁴In keeping with van der Poorten’s avid support of young Australian mathematicians, in his memory, his family funds the *Alf van der Poorten Travelling Fellowships*, which aim to assist young pure mathematicians (who have earned a PhD in Australia) in travelling in Australia and overseas so that they can enrich their mathematical research through contact with other mathematicians.

—FRANK CALEGARI [4]

Mahler’s contribution to number theory in Australia continues today, beyond his work and the work of his students and colleagues, in the *Mahler Lectureship* of the Australian Mathematical Society.

Every two years, the Australian Mathematical Society honours Mahler’s legacy by awarding a distinguished lectureship in his name.

The Mahler Lectureship is awarded every two years to a distinguished mathematician who preferably works in an area of mathematics associated with the work of Professor Mahler. It is usually expected that the Lecturer will speak at one of the main Society Conferences and visit as many universities as can be reasonably managed.

— Australian Mathematical Society website:
<http://www.austms.org.au/>

The phrase *visit as many universities as can be reasonably managed* is not taken lightly. For example, the 2013 Mahler Lecturer was Akshay Venkatesh then at Stanford University—five years later, in 2018, he won a Fields Medal and is now a member of the Institute for Advanced Study. Professor Venkatesh gave 16 talks in 19 days at 10 different universities throughout Australia. Giving so many talks in that amount of time is a difficult task. Include the 10,000+ kilometres of travel within Australia in addition to the 24,000 kilometres just to get to and from Australia from Stanford and the Mahler Lectureship starts to sound like a daunting thing to accept. Of course, Venkatesh grew up in Perth, so presumably he knew what he was getting into.

Former Mahler Lecturers comprise a marvellous group: John Coates (1991), Don Zagier (1993), Michel Mendès France (1995), Peter Hilton (1997), John H. Conway (1999), Robin Thomas (2001), Hendrik Lenstra (2003), Bruce Berndt (2005), Mark Kisin (2007), Terence Tao (2009⁵), Peter Sarnak (2011), Akshay Venkatesh (2013), Manjul Bhargava (2015), Ivan Corwin (2017) and Holly Krieger (2019).

3 THE LEGACY OF KURT MAHLER: A MATHEMATICAL SELECTA

The way most of us interact with Mahler’s legacy is now through his work. With the advent of the digital age, looking up papers is a much easier task than in previous times. With this in mind, we have made The Kurt Mahler Archive freely available online (see the first part of this article for the details and URL). It contains (in PDF format) every mathematical article published by Mahler, as well as a host of links to biographies and other information. His books are listed, but are not available through the Archive.

⁵In 2009, the lectureship was organised in partnership with the Clay Mathematics Institute, so the lecture tour that year was known as the Clay-Mahler lectures.

Mathematically, it is quite easy to point out various highlights from Mahler's work. In this volume, we have taken a two-fold approach by selecting various areas containing results, methods and ideas that we think are exceptional. For each of our selected areas, we asked world experts to write a chapter for our volume that would give us a glimpse of Mahler's main results and methods in the area as well as to touch on their further impact. Part I of this volume, *An Invitation to the Mathematics of Kurt Mahler*, contains the solicited contributions of those experts. Part II, *A Mahler Selecta*, contains several of Mahler's original publications⁶ that we view are highly-influential, though some longer papers have been omitted because of page restraints.

4 CONCLUSION

In this volume, we have only highlighted a few of Mahler's many mathematical contributions. We apologise if we have left out your favourite, but in this case, we encourage you to find its original paper in The Kurt Mahler Archive and enjoy Mahler's own words about it; we hope that you find them in a language with which you are familiar, though this may not be the case. Indeed, like many mathematicians during Mahler's active years (1927–1988), he wrote in several languages. Using the Archive as our data, we found that he published papers in his native German, as well as in English, Italian, Dutch, Hungarian, Russian and even Chinese!


Mahler's interest in Chinese led him to do more than write just one paper in the language. Mahler felt so strongly that students should attempt to learn Chinese and be able to at least read mathematically in the language that while on his hiatus from Australia at Ohio State University, he suggested that Chinese be taught to graduate students in mathematics. As the story goes, he was asked who could they ever find to teach such a course? He then answered that he would do it! And indeed, Mahler gave this course. For those interested, his lecture notes, "Lectures on the reading of mathematics in Chinese," can be found on the Archive in the Collection under the year 1972.

One can only speculate that Mahler saw the dawn of the Asian century coming. Indeed, there is a *Mahler-Needham collection*⁷ at the ANU housing Mahler's Chinese mathematics collection. Joseph Needham (1900–1995) was the leading western sinologist of the past century and there was a considerable correspondence between the two concerning Volume 3 (Chinese mathematics) of Needham's 28 volume opus *Science and Civilisation in China*.

In addition to Mahler's formal mathematical work, we found some very interesting private writings of his. In particular, much of his correspondence with Alf van der Poorten survives. It is evident from what we have been given that Mahler and van der Poorten had a tremendous correspondence relationship,

⁶Reprinted with permission from the various publishers.

⁷See <http://anulib.anu.edu.au/about/collections/spcoll.html>.



Alfred (Alf) Jacobus van der Poorten (1942–2010)

which as described a bit before, centred around mutual interests in science fiction and mathematics. These letters reveal more about the man. In a letter dated 1 March 1985, Mahler mentions his thoughts about the Riemann hypothesis and a purported proof then circulating.

It will be a pity if the proof of Riemann's conjecture turns out to be incomplete. As you know, I am not convinced that RC is true. The numerical results go only to a limit which is relatively small when we think of numbers like $10^{10^{10}}$.

—KURT MAHLER, to Alf van der Poorten on 1 March 1985

More so than in Mahler's papers, in his correspondence with van der Poorten, we find that Mahler was deeply interested in computational mathematics, and specifically what is more commonly thought of today as *experimental mathematics*.

I am interested in the problem of whether there are squares of integers which, to the base $g = 5$, have only digits 0 or 1. I could not find a single example although I went quite far on my calculator. Strangely, to the base $g = 7$ I obtained the one example $20^2 = 1111(7)$, and I am now seeing whether there are others.

—KURT MAHLER, to Alf van der Poorten on 15 February 1988

Even in his last letter, the day before his death, Mahler was doing mathematics, lamenting that he was too old to learn to program well!

If I were ten years younger, I should also try to learn [to] handle big computers. But I have used only programmable calculators which I found very convenient. In the calculations for Squares to the base 3 I used mostly a TI 59 with printer and so could get my results. I have now also a H-P 28c calculator which works to 12 places. Unfortunately the manuals that come with this machine are far too short and badly arranged. So far I have not yet been able to construct on it a program which allows [me] to express a given integer or real numbers to the base $g \geq 2$, something I could do on the TI 59.

The problem of the representation of squares to the base $g \geq 5$ seems quite hard, and I hope you have more success with it than I. It would be appropriate to consider the following more general problem.

“Let $f(x)$ be a polynomial in x with integral coefficients which is positive for positive x . Study the integers x for which the representation of $f(x)$ to the base $g \geq 3$ has only digits 0 or 1.”

Here it may be sufficient to assume that the highest coefficient of $f(x)$ is a power of g , and that f is of the second degree. For polynomials of the first degree we settled this problem in our joint paper.

—KURT MAHLER, to Alf van der Poorten on 24 February 1988

Kurt Mahler remained a mathematician’s mathematician until the very end.

May his theorems live forever!

—PAUL ERDŐS, remembering Mahler in [3]

REFERENCES

- [1] J. W. S. Cassels, *Obituary of Kurt Mahler*, Acta Arith. 58 (1991), no. 3, 215–228.
- [2] J. W. S. Cassels, *Obituary: Kurt Mahler*, Bull. London Math. Soc. 24 (1992), no. 4, 381–397.
- [3] Paul Erdős, *Some personal and mathematical reminiscences of Kurt Mahler*, Austral. Math. Soc. Gaz. 16 (1989), no. 1, 1–2.
- [4] David Hunt, *Life and Mathematics of Alfred Jacobus van der Poorten (1942–2010)*, Number Theory and Related Fields (Jonathan M. Borwein, Igor Shparlinski, and Wadim Zudilin, eds.), Springer Proceedings in Mathematics & Statistics, vol. 43, Springer New York, 2013, pp. 1–53.

- [5] C. G. Lekkerkerker, *In memoriam Professor Kurt Mahler*, Nieuw Arch. Wisk. (4) 7 (1989), no. 1-2, 135–138.
- [6] B. H. Neumann and Alf van der Poorten, *Kurt Mahler: 1903–1988*, Austral. Math. Soc. Gaz. 15 (1988), no. 2, 25–27.
- [7] A. J. van der Poorten, *Obituary: Kurt Mahler, 1903–1988*, J. Austral. Math. Soc. Ser. A 51 (1991), no. 3, 343–380.

Michael Baake
Fakultät für Mathematik
Universität Bielefeld
Postfach 100131
33501 Bielefeld
Germany
mbaake@math.uni-bielefeld.de

Yann Bugeaud
Université de Strasbourg
et C.N.R.S.
IRMA, U.M.R. 7501
7 rue René Descartes
67084 Strasbourg Cedex
France
bugeaud@math.unistra.fr

Michael Coons
School of Mathematical
and Physical Sciences
University of Newcastle
130 University Drive
Callaghan, NSW 2308
Australia
michael.coons@newcastle.edu.au

