Contents

1 Introduction 1
- 1.1 The universal coefficient theorem 1
- 1.2 Decompositions and the main theorem 2
- 1.3 C^*-algebras with finite complexity 3
- 1.4 Kirchberg algebras 4
- 1.5 A local reformulation of the UCT 5
- 1.6 Strategy for the proof of the main theorem 7
- 1.7 Notation and conventions 10
- 1.8 Outline of the paper 10

2 Reformulating the UCT 13
- 2.1 The general case 14
- 2.2 The nuclear case 21

3 Flexible models for controlled KK-theory 29
- 3.1 The even case 29
- 3.2 The odd case 32

4 Homotopies, similarities, and normalization 35
- 4.1 Background on idempotents 35
- 4.2 From similarities to homotopies 38
- 4.3 Normalization 39
- 4.4 From homotopies to similarities 44

5 Reformulating the UCT II 51
- 5.1 The even case 51
- 5.2 The odd case 55

6 A Mayer–Vietoris boundary map 59
- 6.1 Existence 59
- 6.2 Exactness 65

7 Main theorems 79
- 7.1 Two technical “local” controlled vanishing results 79
- 7.2 Proof of the main theorems 82

A Examples 87
A.1 Cuntz algebras 87
A.2 Groupoids with finite dynamical complexity 92

References 97