

References

- [1] B. Adcock, [Infinite-dimensional \$\ell^1\$ minimization and function approximation from pointwise data](#). *Constr. Approx.* **45** (2017), no. 3, 345–390
- [2] B. Adcock, [Infinite-dimensional compressed sensing and function interpolation](#). *Found. Comput. Math.* **18** (2018), no. 3, 661–701
- [3] B. Adcock, A. Bao, and S. Brugiapaglia, [Correcting for unknown errors in sparse high-dimensional function approximation](#). *Numer. Math.* **142** (2019), no. 3, 667–711
- [4] B. Adcock and S. Brugiapaglia, [Sparse approximation of multivariate functions from small datasets via weighted orthogonal matching pursuit](#). In *Spectral and high order methods for partial differential equations—ICOSAHOM 2018*, pp. 611–621, Lect. Notes Comput. Sci. Eng. 134, Springer, Cham, 2020
- [5] B. Adcock, S. Brugiapaglia, N. Dexter, and S. Moraga, [Deep neural networks are effective at learning high-dimensional Hilbert-valued functions from limited data](#). In *Proceedings of the second annual conference on mathematical and scientific machine learning*, pp. 1–36, Proc. Mach. Learn. Res. (PMLR) 145, 2021
- [6] B. Adcock, S. Brugiapaglia, N. Dexter, and S. Moraga, [Near-optimal learning of Banach-valued, high-dimensional functions via deep neural networks](#). [v1] 2022, [v2] 2023, arXiv:2211.12633v2
- [7] B. Adcock, S. Brugiapaglia, and C. G. Webster, [Compressed sensing approaches for polynomial approximation of high-dimensional functions](#). In *Compressed sensing and its applications*, pp. 93–124, Appl. Numer. Harmon. Anal., Birkhäuser/Springer, Cham, 2017
- [8] B. Adcock, S. Brugiapaglia, and C. G. Webster, [Sparse polynomial approximation of high-dimensional functions](#). *Comput. Sci. Eng.* 25, Society for Industrial and Applied Mathematics (SIAM), Philadelphia, PA, 2022
- [9] B. Adcock and J. M. Cardenas, [Near-optimal sampling strategies for multivariate function approximation on general domains](#). *SIAM J. Math. Data Sci.* **2** (2020), no. 3, 607–630
- [10] B. Adcock, J. M. Cardenas, N. Dexter, and S. Moraga, [Towards optimal sampling for learning sparse approximations in high dimensions](#). In *High-dimensional optimization and probability—with a view towards data science*, pp. 9–77, Springer Optim. Appl. 191, Springer, Cham, 2022
- [11] B. Adcock and N. Dexter, [The gap between theory and practice in function approximation with deep neural networks](#). *SIAM J. Math. Data Sci.* **3** (2021), no. 2, 624–655
- [12] B. Adcock, N. Dexter, and S. Moraga, [Optimal approximation of infinite-dimensional holomorphic functions](#). *Calcolo* **61** (2024), no. 1, article no. 12
- [13] B. Adcock and A. C. Hansen, [Compressive imaging: Structure, sampling, learning](#). Cambridge University Press, Cambridge, 2021
- [14] B. Adcock and D. Huybrechs, [Approximating smooth, multivariate functions on irregular domains](#). *Forum Math. Sigma* **8** (2020), article no. e26

- [15] B. Adcock and Y. Sui, [Compressive Hermite interpolation: Sparse, high-dimensional approximation from gradient-augmented measurements](#). *Constr. Approx.* **50** (2019), no. 1, 167–207
- [16] N. Alemazkour and H. Meidani, [Divide and conquer: An incremental sparsity promoting compressive sampling approach for polynomial chaos expansions](#). *Comput. Methods Appl. Mech. Engrg.* **318** (2017), 937–956
- [17] N. Alemazkour and H. Meidani, [A near-optimal sampling strategy for sparse recovery of polynomial chaos expansions](#). *J. Comput. Phys.* **371** (2018), 137–151
- [18] S. Alnæs, J. Blechta, J. Hake, A. Johansson, B. Kehlet, A. Logg, C. Richardson, J. Ring, M. E. Rognes, and G. N. Wells, [The FEniCS Project Version 1.5](#). *Archive of Numerical Software* **3** (2015), no. 100, 9–23
- [19] M. Bachmayr, A. Cohen, R. DeVore, and G. Migliorati, [Sparse polynomial approximation of parametric elliptic PDEs. Part II: Lognormal coefficients](#). *ESAIM Math. Model. Numer. Anal.* **51** (2017), no. 1, 341–363
- [20] M. Bachmayr, A. Cohen, and G. Migliorati, [Sparse polynomial approximation of parametric elliptic PDEs. Part I: Affine coefficients](#). *ESAIM Math. Model. Numer. Anal.* **51** (2017), no. 1, 321–339
- [21] F. Bartel, M. Schäfer, and T. Ullrich, [Constructive subsampling of finite frames with applications in optimal function recovery](#). *Appl. Comput. Harmon. Anal.* **65** (2023), 209–248
- [22] H. H. Bauschke and P. L. Combettes, [Convex analysis and monotone operator theory in Hilbert spaces](#). 2nd edn., CMS Books Math./Ouvrages Math. SMC, Springer, Cham, 2017
- [23] J. Beck, F. Nobile, L. Tamellini, and R. Tempone, [Convergence of quasi-optimal stochastic Galerkin methods for a class of PDEs with random coefficients](#). *Comput. Math. Appl.* **67** (2014), no. 4, 732–751
- [24] J. Beck, R. Tempone, F. Nobile, and L. Tamellini, [On the optimal polynomial approximation of stochastic PDEs by Galerkin and collocation methods](#). *Math. Models Methods Appl. Sci.* **22** (2012), no. 9, article no. 1250023
- [25] M. Bieri, R. Andreev, and C. Schwab, [Sparse tensor discretization of elliptic SPDEs](#). *SIAM J. Sci. Comput.* **31** (2009/10), no. 6, 4281–4304
- [26] G. Blatman and B. Sudret, [Adaptive sparse polynomial chaos expansion based on least angle regression](#). *J. Comput. Phys.* **230** (2011), no. 6, 2345–2367
- [27] A. Bonito, R. DeVore, D. Guignard, P. Jantsch, and G. Petrova, [Polynomial approximation of anisotropic analytic functions of several variables](#). *Constr. Approx.* **53** (2021), no. 2, 319–348
- [28] J.-L. Bouchot, H. Rauhut, and C. Schwab, [Multi-level compressed sensing Petrov–Galerkin discretization of high-dimensional parametric PDEs](#). [v1] 2017, [v2] 2017, arXiv:1701.01671v2
- [29] E. J. Candès, J. Romberg, and T. Tao, [Robust uncertainty principles: exact signal reconstruction from highly incomplete frequency information](#). *IEEE Trans. Inform. Theory* **52** (2006), no. 2, 489–509

- [30] A. Chambolle and T. Pock, [A first-order primal-dual algorithm for convex problems with applications to imaging](#). *J. Math. Imaging Vision* **40** (2011), no. 1, 120–145
- [31] A. Chambolle and T. Pock, [An introduction to continuous optimization for imaging](#). *Acta Numer.* **25** (2016), 161–319
- [32] A. Chernov and D. Dũng, [New explicit-in-dimension estimates for the cardinality of high-dimensional hyperbolic crosses and approximation of functions having mixed smoothness](#). *J. Complexity* **32** (2016), no. 1, 92–121
- [33] A. Chkifa, A. Cohen, R. DeVore, and C. Schwab, [Sparse adaptive Taylor approximation algorithms for parametric and stochastic elliptic PDEs](#). *ESAIM Math. Model. Numer. Anal.* **47** (2013), no. 1, 253–280
- [34] A. Chkifa, A. Cohen, G. Migliorati, F. Nobile, and R. Tempone, [Discrete least squares polynomial approximation with random evaluations—application to parametric and stochastic elliptic PDEs](#). *ESAIM Math. Model. Numer. Anal.* **49** (2015), no. 3, 815–837
- [35] A. Chkifa, A. Cohen, and C. Schwab, [High-dimensional adaptive sparse polynomial interpolation and applications to parametric PDEs](#). *Found. Comput. Math.* **14** (2014), no. 4, 601–633
- [36] A. Chkifa, A. Cohen, and C. Schwab, [Breaking the curse of dimensionality in sparse polynomial approximation of parametric PDEs](#). *J. Math. Pures Appl. (9)* **103** (2015), no. 2, 400–428
- [37] A. Chkifa, N. Dexter, H. Tran, and C. G. Webster, [Polynomial approximation via compressed sensing of high-dimensional functions on lower sets](#). *Math. Comp.* **87** (2018), no. 311, 1415–1450
- [38] B. Choi, M. Iwen, and T. Volkmer, [Sparse harmonic transforms II: Best \$s\$ -term approximation guarantees for bounded orthonormal product bases in sublinear-time](#). *Numer. Math.* **148** (2021), no. 2, 293–362
- [39] B. Choi, M. A. Iwen, and F. Krahmer, [Sparse harmonic transforms: A new class of sublinear-time algorithms for learning functions of many variables](#). *Found. Comput. Math.* **21** (2021), no. 2, 275–329
- [40] A. Cohen, M. A. Davenport, and D. Leviatan, [On the stability and accuracy of least squares approximations](#). *Found. Comput. Math.* **13** (2013), no. 5, 819–834
- [41] A. Cohen and R. DeVore, [Approximation of high-dimensional parametric PDEs](#). *Acta Numer.* **24** (2015), 1–159
- [42] A. Cohen, R. DeVore, and C. Schwab, [Convergence rates of best \$N\$ -term Galerkin approximations for a class of elliptic sPDEs](#). *Found. Comput. Math.* **10** (2010), no. 6, 615–646
- [43] A. Cohen, R. DeVore, and C. Schwab, [Analytic regularity and polynomial approximation of parametric and stochastic elliptic PDE's](#). *Anal. Appl. (Singap.)* **9** (2011), no. 1, 11–47
- [44] A. Cohen and G. Migliorati, [Optimal weighted least-squares methods](#). *SMAI J. Comput. Math.* **3** (2017), 181–203
- [45] A. Cohen and G. Migliorati, [Multivariate approximation in downward closed polynomial spaces](#). In *Contemporary computational mathematics—a celebration of the 80th birthday of Ian Sloan. Vol. 1, 2*, pp. 233–282, Springer, Cham, 2018

- [46] A. Cohen, G. Migliorati, and F. Nobile, [Discrete least-squares approximations over optimized downward closed polynomial spaces in arbitrary dimension](#). *Constr. Approx.* **45** (2017), no. 3, 497–519
- [47] M. J. Colbrook, [WARPd: a linearly convergent first-order primal-dual algorithm for inverse problems with approximate sharpness conditions](#). *SIAM J. Imaging Sci.* **15** (2022), no. 3, 1539–1575
- [48] M. J. Colbrook, V. Antun, and A. C. Hansen, [The difficulty of computing stable and accurate neural networks: On the barriers of deep learning and Smale’s 18th problem](#). *Proc. Natl. Acad. Sci. USA* **119** (2022), no. 12, article no. e2107151119
- [49] J. Daws and C. Webster, [Analysis of deep neural networks with Quasi-optimal polynomial approximation rates](#). 2019, arXiv:1912.02302
- [50] C. de Boor and A. Ron, [Computational aspects of polynomial interpolation in several variables](#). *Math. Comp.* **58** (1992), no. 198, 705–727
- [51] N. Dexter, [Sparse reconstruction techniques for solutions of high-dimensional parametric PDEs](#). Ph.D. thesis, University of Tennessee, USA, 2018
- [52] N. Dexter, H. Tran, and C. Webster, [A mixed \$\ell_1\$ regularization approach for sparse simultaneous approximation of parameterized PDEs](#). *ESAIM Math. Model. Numer. Anal.* **53** (2019), no. 6, 2025–2045
- [53] P. Diaz, A. Doostan, and J. Hampton, [Sparse polynomial chaos expansions via compressed sensing and D-optimal design](#). *Comput. Methods Appl. Mech. Engrg.* **336** (2018), 640–666
- [54] M. Dolbeault and A. Cohen, [Optimal pointwise sampling for \$L^2\$ approximation](#). *J. Complexity* **68** (2022), article no. 101602
- [55] M. Dolbeault and A. Cohen, [Optimal sampling and Christoffel functions on general domains](#). *Constr. Approx.* **56** (2022), no. 1, 121–163
- [56] M. Dolbeault, D. Krieg, and M. Ullrich, [A sharp upper bound for sampling numbers in \$L_2\$](#) . *Appl. Comput. Harmon. Anal.* **63** (2023), 113–134
- [57] D. L. Donoho, [Compressed sensing](#). *IEEE Trans. Inform. Theory* **52** (2006), no. 4, 1289–1306
- [58] A. Doostan and H. Owhadi, [A non-adapted sparse approximation of PDEs with stochastic inputs](#). *J. Comput. Phys.* **230** (2011), no. 8, 3015–3034
- [59] D. Dũng and V. K. Nguyen, [Deep ReLU neural networks in high-dimensional approximation](#). *Neural Networks* **142** (2021), 619–635
- [60] D. Dũng, V. K. Nguyen, and M. X. Thao, [Computation complexity of deep ReLU neural networks in high-dimensional approximation](#). *J. Crohn’s Colitis* **37** (2021), no. 3, 291–320
- [61] S. Foucart and H. Rauhut, [A mathematical introduction to compressive sensing](#). Appl. Numer. Harmon. Anal., Birkhäuser/Springer, New York, 2013
- [62] R. Ghanem, D. Higdon, and H. Owhadi, [Handbook of uncertainty quantification](#). Springer, Switzerland, 2017

- [63] C. J. Gittelson, [An adaptive stochastic Galerkin method for random elliptic operators](#). *Math. Comp.* **82** (2013), no. 283, 1515–1541
- [64] L. Guo, Y. Liu, and L. Yan, [Sparse recovery via \$\ell_q\$ -minimization for polynomial chaos expansions](#). *Numer. Math. Theory Methods Appl.* **10** (2017), no. 4, 775–797
- [65] L. Guo, A. Narayan, L. Yan, and T. Zhou, [Weighted approximate Fekete points: sampling for least-squares polynomial approximation](#). *SIAM J. Sci. Comput.* **40** (2018), no. 1, A366–A387
- [66] L. Guo, A. Narayan, and T. Zhou, [A gradient enhanced \$\ell_1\$ -minimization for sparse approximation of polynomial chaos expansions](#). *J. Comput. Phys.* **367** (2018), 49–64
- [67] L. Guo, A. Narayan, and T. Zhou, [Constructing least-squares polynomial approximations](#). *SIAM Rev.* **62** (2020), no. 2, 483–508
- [68] L. Guo, A. Narayan, T. Zhou, and Y. Chen, [Stochastic collocation methods via \$\ell_1\$ minimization using randomized quadratures](#). *SIAM J. Sci. Comput.* **39** (2017), no. 1, A333–A359
- [69] M. Hadigol and A. Doostan, [Least squares polynomial chaos expansion: A review of sampling strategies](#). *Comput. Methods Appl. Mech. Engrg.* **332** (2018), 382–407
- [70] A.-L. Haji-Ali, F. Nobile, R. Tempone, and S. Wolfers, [Multilevel weighted least squares polynomial approximation](#). *ESAIM Math. Model. Numer. Anal.* **54** (2020), no. 2, 649–677
- [71] J. Hampton and A. Doostan, [Coherence motivated sampling and convergence analysis of least squares polynomial Chaos regression](#). *Comput. Methods Appl. Mech. Engrg.* **290** (2015), 73–97
- [72] J. Hampton and A. Doostan, [Compressive sampling of polynomial chaos expansions: Convergence analysis and sampling strategies](#). *J. Comput. Phys.* **280** (2015), 363–386
- [73] J. Hampton and A. Doostan, [Compressive sampling methods for sparse polynomial chaos expansions](#). In *Handbook of uncertainty quantification. Vol. 1, 2, 3*, pp. 827–855, Springer, Cham, 2017
- [74] J. Hampton and A. Doostan, [Basis adaptive sample efficient polynomial chaos \(BASE-PC\)](#). *J. Comput. Phys.* **371** (2018), 20–49
- [75] M. Hansen and C. Schwab, [Analytic regularity and nonlinear approximation of a class of parametric semilinear elliptic PDEs](#). *Math. Nachr.* **286** (2013), no. 8-9, 832–860
- [76] L. Herrmann, J. A. A. Opschoor, and C. Schwab, [Constructive deep ReLU neural network approximation](#). *J. Sci. Comput.* **90** (2022), no. 2, article no. 75
- [77] M. Hervé, [Analyticity in infinite-dimensional spaces](#). De Gruyter Stud. Math. 10, Walter de Gruyter, Berlin, 1989
- [78] J. S. Hesthaven, G. Rozza, and B. Stamm, [Certified reduced basis methods for parametrized partial differential equations](#). SpringerBriefs Math., Springer, Cham; BCAM Basque Center for Applied Mathematics, Bilbao, 2016
- [79] A. Hinrichs, D. Krieg, E. Novak, J. Prochno, and M. Ullrich, [On the power of random information](#). In *Multivariate algorithms and information-based complexity*, pp. 43–64, Radon Ser. Comput. Appl. Math. 27, De Gruyter, Berlin, 2020

- [80] L. S. T. Ho, H. Schaeffer, G. Tran, and R. Ward, [Recovery guarantees for polynomial coefficients from weakly dependent data with outliers](#). *J. Approx. Theory* **259** (2020), article no. 105472
- [81] F. L. Huang and S. Zhang, [Approximation of infinitely differentiable multivariate functions is not strongly tractable](#). *J. Complexity* **23** (2007), no. 1, 73–81
- [82] J. D. Jakeman, M. S. Eldred, and K. Sargsyan, [Enhancing \$\ell_1\$ -minimization estimates of polynomial chaos expansions using basis selection](#). *J. Comput. Phys.* **289** (2015), 18–34
- [83] J. D. Jakeman, A. Narayan, and T. Zhou, [A generalized sampling and preconditioning scheme for sparse approximation of polynomial chaos expansions](#). *SIAM J. Sci. Comput.* **39** (2017), no. 3, A1114–A1144
- [84] J.-H. Jung, S. Gottlieb, S. O. Kim, C. L. Bresten, and D. Higgs, [Recovery of high order accuracy in radial basis function approximations of discontinuous problems](#). *J. Sci. Comput.* **45** (2010), no. 1-3, 359–381
- [85] L. Kämmerer, T. Ullrich, and T. Volkmer, [Worst-case recovery guarantees for least squares approximation using random samples](#). *Constr. Approx.* **54** (2021), no. 2, 295–352
- [86] I. A. Kougoumtzoglou, I. Petromichelakis, and A. F. Psaros, [Sparse representations and compressive sampling approaches in engineering mechanics: A review of theoretical concepts and diverse applications](#). *Probabilistic Eng. Mech.* **61** (2020), article no. 103082
- [87] D. Krieg, E. Novak, and M. Sonnleitner, [Recovery of Sobolev functions restricted to iid sampling](#). *Math. Comp.* **91** (2022), no. 338, 2715–2738
- [88] D. Krieg, P. Siedlecki, M. Ullrich, and H. Woźniakowski, [Exponential tractability of \$L_2\$ -approximation with function values](#). *Adv. Comput. Math.* **49** (2023), no. 2, article no. 18
- [89] T. Kühn, W. Sickel, and T. Ullrich, [Approximation of mixed order Sobolev functions on the \$d\$ -torus: asymptotics, preasymptotics, and \$d\$ -dependence](#). *Constr. Approx.* **42** (2015), no. 3, 353–398
- [90] J. Kuntzman, *Méthodes Numériques – Interpolation, Dérivées*. Dunod, Paris, France, 1959
- [91] O. P. Le Maître and O. M. Knio, *Spectral methods for uncertainty quantification*. Sci. Comput., Springer, New York, 2010
- [92] B. Li, S. Tang, and H. Yu, [Better approximations of high dimensional smooth functions by deep neural networks with rectified power units](#). *Commun. Comput. Phys.* **27** (2020), no. 2, 379–411
- [93] I. Limonova and V. Temlyakov, [On sampling discretization in \$L_2\$](#) . *J. Math. Anal. Appl.* **515** (2022), no. 2, article no. 126457
- [94] Y. Liu and L. Guo, [Stochastic collocation via \$l_1\$ -minimisation on low discrepancy point sets with application to uncertainty quantification](#). *East Asian J. Appl. Math.* **6** (2016), no. 2, 171–191
- [95] A. Logg and G. N. Wells, [DOLFIN: Automated finite element computing](#). *ACM Trans. Math. Software* **37** (2010), no. 2, article no. 20

- [96] G. G. Lorentz and R. A. Lorentz, [Solvability problems of bivariate interpolation. I. *Constr. Approx.* **2** \(1986\), no. 2, 153–169](#)
- [97] N. Lüthen, S. Marelli, and B. Sudret, [Sparse polynomial chaos expansions: Literature survey and benchmark. *SIAM/ASA J. Uncertain. Quantif.* **9** \(2021\), no. 2, 593–649](#)
- [98] N. Lüthen, S. Marelli, and B. Sudret, [Automatic selection of basis-adaptive sparse polynomial chaos expansions for engineering applications. *Int. J. Uncertain. Quantif.* **12** \(2022\), no. 3, 49–74](#)
- [99] L. Mathelin and K. A. Gallivan, [A compressed sensing approach for partial differential equations with random input data. *Commun. Comput. Phys.* **12** \(2012\), no. 4, 919–954](#)
- [100] G. Migliorati, [Polynomial approximation by means of the random discrete \$L^2\$ projection and application to inverse problems for PDEs with stochastic data.](#) Ph.D. thesis, Politecnico di Milano, Italy, 2013
- [101] G. Migliorati, Adaptive polynomial approximation by means of random discrete least squares. In *Numerical mathematics and advanced applications—ENUMATH 2013*, pp. 547–554, Lect. Notes Comput. Sci. Eng. 103, Springer, Cham, 2015
- [102] G. Migliorati, [Adaptive approximation by optimal weighted least-squares methods. *SIAM J. Numer. Anal.* **57** \(2019\), no. 5, 2217–2245](#)
- [103] G. Migliorati, [Multivariate approximation of functions on irregular domains by weighted least-squares methods. *IMA J. Numer. Anal.* **41** \(2021\), no. 2, 1293–1317](#)
- [104] G. Migliorati and F. Nobile, [Analysis of discrete least squares on multivariate polynomial spaces with evaluations at low-discrepancy point sets. *J. Complexity* **31** \(2015\), no. 4, 517–542](#)
- [105] G. Migliorati, F. Nobile, E. von Schwerin, and R. Tempone, [Analysis of discrete \$L^2\$ projection on polynomial spaces with random evaluations. *Found. Comput. Math.* **14** \(2014\), no. 3, 419–456](#)
- [106] A. Narayan, [Computation of induced orthogonal polynomial distributions. *Electron. Trans. Numer. Anal.* **50** \(2018\), 71–97](#)
- [107] A. Narayan, J. D. Jakeman, and T. Zhou, [A Christoffel function weighted least squares algorithm for collocation approximations. *Math. Comp.* **86** \(2017\), no. 306, 1913–1947](#)
- [108] A. Narayan and T. Zhou, [Stochastic collocation on unstructured multivariate meshes. *Commun. Comput. Phys.* **18** \(2015\), no. 1, 1–36](#)
- [109] L. W.-T. Ng and M. Eldred, [Multifidelity uncertainty quantification using noninvasive polynomial chaos and stochastic collocation.](#) In *53rd AIAA/ASME/ASCE/AHS/ASC structures, structural dynamics and materials conference*, 45, AIAA, 2012
- [110] F. Nobile, R. Tempone, and C. G. Webster, [A sparse grid stochastic collocation method for partial differential equations with random input data. *SIAM J. Numer. Anal.* **46** \(2008\), no. 5, 2309–2345](#)
- [111] E. Novak and H. Woźniakowski, [Tractability of multivariate problems. Vol. 1: Linear information.](#) EMS Tracts Math. 6, European Mathematical Society (EMS), Zürich, 2008
- [112] E. Novak and H. Woźniakowski, [Approximation of infinitely differentiable multivariate functions is intractable. *J. Complexity* **25** \(2009\), no. 4, 398–404](#)

- [113] E. Novak and H. Woźniakowski, *Tractability of multivariate problems. Volume II: Standard information for functionals*. EMS Tracts Math. 12, European Mathematical Society (EMS), Zürich, 2010
- [114] J. A. A. Opschoor, C. Schwab, and J. Zech, [Deep learning in high dimension: ReLU neural network expression for Bayesian PDE inversion](#). In *Optimization and control for partial differential equations—uncertainty quantification, open and closed-loop control, and shape optimization*, pp. 419–462, Radon Ser. Comput. Appl. Math. 29, De Gruyter, Berlin, 2022
- [115] J. A. A. Opschoor, C. Schwab, and J. Zech, [Exponential ReLU DNN expression of holomorphic maps in high dimension](#). *Constr. Approx.* **55** (2022), no. 1, 537–582
- [116] J. Peng, J. Hampton, and A. Doostan, [A weighted \$\ell_1\$ -minimization approach for sparse polynomial chaos expansions](#). *J. Comput. Phys.* **267** (2014), 92–111
- [117] J. Peng, J. Hampton, and A. Doostan, [On polynomial chaos expansion via gradient-enhanced \$\ell_1\$ -minimization](#). *J. Comput. Phys.* **310** (2016), 440–458
- [118] A. Quarteroni, A. Manzoni, and F. Negri, *Reduced basis methods for partial differential equations*. Unitext 92, Springer, Cham, 2016
- [119] H. Rauhut and C. Schwab, [Compressive sensing Petrov–Galerkin approximation of high-dimensional parametric operator equations](#). *Math. Comp.* **86** (2017), no. 304, 661–700
- [120] H. Rauhut and R. Ward, [Sparse Legendre expansions via \$\ell_1\$ -minimization](#). *J. Approx. Theory* **164** (2012), no. 5, 517–533
- [121] H. Rauhut and R. Ward, [Interpolation via weighted \$\ell_1\$ minimization](#). *Appl. Comput. Harmon. Anal.* **40** (2016), no. 2, 321–351
- [122] J. Renegar and B. Grimmer, [A simple nearly optimal restart scheme for speeding up first-order methods](#). *Found. Comput. Math.* **22** (2022), no. 1, 211–256
- [123] V. Roulet, N. Boumal, and A. d’Aspremont, [Computational complexity versus statistical performance on sparse recovery problems](#). *Inf. Inference* **9** (2020), no. 1, 1–32
- [124] V. Roulet and A. d’Aspremont, [Sharpness, restart, and acceleration](#). *SIAM J. Optim.* **30** (2020), no. 1, 262–289
- [125] C. Schwab and J. Zech, [Deep learning in high dimension: Neural network expression rates for analytic functions in \$L^2\(\mathbb{R}^d, \gamma_d\)\$](#) . *SIAM/ASA J. Uncertain. Quantif.* **11** (2023), no. 1, 199–234
- [126] P. Seshadri, A. Narayan, and S. Mahadevan, [Effectively subsampled quadratures for least squares polynomial approximations](#). *SIAM/ASA J. Uncertain. Quantif.* **5** (2017), no. 1, 1003–1023
- [127] Y. Shin and D. Xiu, [Correcting data corruption errors for multivariate function approximation](#). *SIAM J. Sci. Comput.* **38** (2016), no. 4, A2492–A2511
- [128] R. C. Smith, *Uncertainty quantification*. Comput. Sci. Eng. 12, Society for Industrial and Applied Mathematics (SIAM), Philadelphia, PA, 2014
- [129] M. Stoyanov, *User manual: Tasmanian sparse grids*. Technical report ornl/tm-2015/596, Oak Ridge National Laboratory, One Bethel Valley Road, Oak Ridge, TN, 2015

- [130] Y. Sui, *Weighted ℓ^1 minimization techniques for compressed sensing and their applications*. Ph.D. thesis, Simon Fraser University, Canada, 2020
- [131] T. J. Sullivan, *Introduction to uncertainty quantification*. Texts Appl. Math. 63, Springer, Cham, 2015
- [132] G. Szegő, *Orthogonal Polynomials*. Amer. Math. Soc. Colloq. Publ. 23, American Mathematical Society, New York, 1939
- [133] G. Tang, *Methods for High Dimensional Uncertainty Quantification: Regularization, Sensitivity Analysis, and Derivative Enhancement*. Ph.D. thesis, Stanford University, 2013
- [134] G. Tang and G. Iaccarino, [Subsampled Gauss quadrature nodes for estimating polynomial chaos expansions](#). *SIAM/ASA J. Uncertain. Quantif.* **2** (2014), no. 1, 423–443
- [135] T. Tang and T. Zhou, [On discrete least-squares projection in unbounded domain with random evaluations and its application to parametric uncertainty quantification](#). *SIAM J. Sci. Comput.* **36** (2014), no. 5, A2272–A2295
- [136] T. Tao, *An introduction to measure theory*. Grad. Stud. Math. 126, American Mathematical Society, Providence, RI, 2011
- [137] V. Temlyakov, [On optimal recovery in \$L_2\$](#) . *J. Complexity* **65** (2021), article no. 101545
- [138] V. N. Temlyakov, Approximation of periodic functions of several variables with a bounded mixed derivative. *Trudy Mat. Inst. Steklov.* **156** (1980), article no. 233–260
- [139] R. A. Todor and C. Schwab, [Convergence rates for sparse chaos approximations of elliptic problems with stochastic coefficients](#). *IMA J. Numer. Anal.* **27** (2007), no. 2, 232–261
- [140] H. Tran and C. Webster, [A class of null space conditions for sparse recovery via nonconvex, non-separable minimizations](#). *Results Appl. Math.* **3** (2019), article no. 100011
- [141] H. Tran, C. G. Webster, and G. Zhang, [Analysis of quasi-optimal polynomial approximations for parameterized PDEs with deterministic and stochastic coefficients](#). *Numer. Math.* **137** (2017), no. 2, 451–493
- [142] P. Tsilifis, X. Huan, C. Safta, K. Sargsyan, G. Lacaze, J. C. Oefelein, H. N. Najm, and R. G. Ghanem, [Compressive sensing adaptation for polynomial chaos expansions](#). *J. Comput. Phys.* **380** (2019), 29–47
- [143] E. van den Berg and M. P. Friedlander, [Probing the Pareto frontier for basis pursuit solutions](#). *SIAM J. Sci. Comput.* **31** (2008/09), no. 2, 890–912
- [144] E. van den Berg and M. P. Friedlander, A solver for large-scale sparse reconstruction. 2019, <https://friedlander.io/spg11>, visited on 5 March 2024
- [145] M. Vidyasagar, *An introduction to compressed sensing*. Comput. Sci. Eng. 22, Society for Industrial and Applied Mathematics (SIAM), Philadelphia, PA, 2020
- [146] W. Walter, *Ordinary differential equations*. Grad. Texts in Math. 182, Springer, New York, 1998
- [147] G. Xu, [On weak tractability of the Smolyak algorithm for approximation problems](#). *J. Approx. Theory* **192** (2015), 347–361
- [148] Y. Xu, A. Narayan, H. Tran, and C. G. Webster, [Analysis of the ratio of \$\ell_1\$ and \$\ell_2\$ norms in compressed sensing](#). *Appl. Comput. Harmon. Anal.* **55** (2021), 486–511

- [149] L. Yan, L. Guo, and D. Xiu, [Stochastic collocation algorithms using \$\ell_1\$ -minimization](#). *Int. J. Uncertain. Quantif.* **2** (2012), no. 3, 279–293
- [150] L. Yan, Y. Shin, and D. Xiu, [Sparse approximation using \$\ell_1 - \ell_2\$ minimization and its application to stochastic collocation](#). *SIAM J. Sci. Comput.* **39** (2017), no. 1, A214–A239
- [151] X. Yang and G. E. Karniadakis, [Reweighted \$\ell_1\$ minimization method for stochastic elliptic differential equations](#). *J. Comput. Phys.* **248** (2013), 87–108
- [152] X. Yang, H. Lei, N. A. Baker, and G. Lin, [Enhancing sparsity of Hermite polynomial expansions by iterative rotations](#). *J. Comput. Phys.* **307** (2016), 94–109
- [153] X. Yang, W. Li, and A. Tartakovsky, [Sliced-inverse-regression-aided rotated compressive sensing method for uncertainty quantification](#). *SIAM/ASA J. Uncertain. Quantif.* **6** (2018), no. 4, 1532–1554
- [154] X. Yang, X. Wan, L. Lin, and H. Lei, [A general framework for enhancing sparsity of generalized polynomial chaos expansions](#). *Int. J. Uncertain. Quantif.* **9** (2019), no. 3, 221–243
- [155] T. Zhou, A. Narayan, and D. Xiu, [Weighted discrete least-squares polynomial approximation using randomized quadratures](#). *J. Comput. Phys.* **298** (2015), 787–800
- [156] T. Zhou, A. Narayan, and Z. Xu, [Multivariate discrete least-squares approximations with a new type of collocation grid](#). *SIAM J. Sci. Comput.* **36** (2014), no. 5, A2401–A2422