

References

- [1] M. Abouzaid and A. J. Blumberg, Arnold conjecture and Morava K-theory. 2021, arXiv:2103.01507v1
- [2] J. F. Adams, [Prerequisites \(on equivariant stable homotopy\) for Carlsson’s lecture](#). In *Algebraic topology, Aarhus 1982 (Aarhus, 1982)*, pp. 483–532, Lecture Notes in Math. 1051, Springer, Berlin, 1984
- [3] J. F. Adams, *Stable homotopy and generalised homology*. Chicago Lectures in Mathematics, University of Chicago Press, Chicago, IL, 1995
- [4] M. Atiyah, [Eigenvalues of the Dirac operator](#). In *Arbeitsstagung Bonn 1984 (Bonn, 1984)*, pp. 251–260, Lecture Notes in Math. 1111, Springer, Berlin, 1985
- [5] M. F. Atiyah, V. K. Patodi, and I. M. Singer, [Spectral asymmetry and Riemannian geometry. I](#). *Math. Proc. Cambridge Philos. Soc.* **77** (1975), 43–69
- [6] M. F. Atiyah and I. M. Singer, [Index theory for skew-adjoint Fredholm operators](#). *Inst. Hautes Études Sci. Publ. Math.* (1969), no. 37, 5–26
- [7] T. Bartsch, [The Conley index over a space](#). *Math. Z.* **209** (1992), no. 2, 167–177
- [8] S. Bauer and M. Furuta, [A stable cohomotopy refinement of Seiberg–Witten invariants. I](#). *Invent. Math.* **155** (2004), no. 1, 1–19
- [9] S. Behrens and M. Golla, [Heegaard Floer correction terms, with a twist](#). *Quantum Topol.* **9** (2018), no. 1, 1–37
- [10] D. Burghelea and N. H. Kuiper, [Hilbert manifolds](#). *Ann. of Math. (2)* **90** (1969), 379–417
- [11] R. L. Cohen, J. D. S. Jones, and G. B. Segal, [Floer’s infinite-dimensional Morse theory and homotopy theory](#). In *The Floer memorial volume*, pp. 297–325, Progr. Math. 133, Birkhäuser, Basel, 1995
- [12] M. Cole, J. P. C. Greenlees, and I. Kriz, [The universality of equivariant complex bordism](#). *Math. Z.* **239** (2002), no. 3, 455–475
- [13] C. Conley, *Isolated invariant sets and the Morse index*. CBMS Reg. Conf. Ser. Math. 38, American Mathematical Society, Providence, RI, 1978
- [14] C. Conley and R. Easton, [Isolated invariant sets and isolating blocks](#). *Trans. Amer. Math. Soc.* **158** (1971), 35–61
- [15] O. Cornea, [Homotopical dynamics: Suspension and duality](#). *Ergodic Theory Dynam. Systems* **20** (2000), no. 2, 379–391
- [16] S. R. Costenoble and S. Waner, *Equivariant ordinary homology and cohomology*. Lecture Notes in Math. 2178, Springer, Cham, 2016
- [17] I. Dai, H. Sasahira, and M. Stoffregen, Lattice homology and Seiberg–Witten–Floer spectra. 2023, arXiv:2309.01253v1
- [18] K. Deimling, *Ordinary differential equations in Banach spaces*. Lecture Notes in Math. 596, Springer, Berlin-New York, 1977
- [19] J. L. Dupont, [Symplectic bundles and KR-theory](#). *Math. Scand.* **24** (1969), 27–30

- [20] K. A. Frøyshov, [Monopole Floer homology for rational homology 3-spheres](#). *Duke Math. J.* **155** (2010), no. 3, 519–576
- [21] M. Furuta, [Monopole equation and the \$\frac{11}{8}\$ -conjecture](#). *Math. Res. Lett.* **8** (2001), no. 3, 279–291
- [22] T. Kato, [Perturbation theory for linear operators](#). Classics Math., Springer, Berlin, 1995
- [23] T. Khandhawit, [A new gauge slice for the relative Bauer–Furuta invariants](#). *Geom. Topol.* **19** (2015), no. 3, 1631–1655
- [24] T. Khandhawit, J. Lin, and H. Sasahira, [Unfolded Seiberg–Witten Floer spectra, I: Definition and invariance](#). *Geom. Topol.* **22** (2018), no. 4, 2027–2114
- [25] T. Khandhawit, J. Lin, and H. Sasahira, [Unfolded Seiberg–Witten Floer spectra, II: Relative invariants and the gluing theorem](#). *J. Differential Geom.* **124** (2023), no. 2, 231–316
- [26] H. Konno and M. Taniguchi, [The groups of diffeomorphisms and homeomorphisms of 4-manifolds with boundary](#). *Adv. Math.* **409** (2022), part A, article no. 108627
- [27] T. Kragh, [The Viterbo transfer as a map of spectra](#). *J. Symplectic Geom.* **16** (2018), no. 1, 85–226
- [28] P. Kronheimer and T. Mrowka, [Monopoles and three-manifolds](#). New Math. Monogr. 10, Cambridge University Press, Cambridge, 2007
- [29] P. Kronheimer and T. Mrowka, [Knots, sutures, and excision](#). *J. Differential Geom.* **84** (2010), no. 2, 301–364
- [30] P. B. Kronheimer and C. Manolescu, [Periodic Floer pro-spectra from the Seiberg–Witten equations](#). [v1] 2002, [v3] 2014, arXiv:math/0203243v3
- [31] A. S. Levine and D. Ruberman, [Generalized Heegaard Floer correction terms](#). In *Proceedings of the Gökova Geometry-Topology Conference 2013*, pp. 76–96, Gökova Geometry/Topology Conference (GGT), Gökova, 2014
- [32] T. Lidman and C. Manolescu, [The equivalence of two Seiberg–Witten Floer homologies](#). *Astérisque* (2018), no. 399, vii+220
- [33] F. Lin, [PIN\(2\)-monopole Floer homology and the Rokhlin invariant](#). *Compos. Math.* **154** (2018), no. 12, 2681–2700
- [34] F. Lin, [A Morse–Bott approach to monopole Floer homology and the triangulation conjecture](#). *Mem. Amer. Math. Soc.* **255** (2018), no. 1221, v+162
- [35] C. Manolescu, [Seiberg–Witten–Floer stable homotopy type of three-manifolds with \$b_1 = 0\$](#) . *Geom. Topol.* **7** (2003), 889–932
- [36] C. Manolescu, [A gluing theorem for the relative Bauer–Furuta invariants](#). *J. Differential Geom.* **76** (2007), no. 1, 117–153
- [37] C. Manolescu, [On the intersection forms of spin four-manifolds with boundary](#). *Math. Ann.* **359** (2014), no. 3–4, 695–728
- [38] C. Manolescu, [Pin\(2\)-equivariant Seiberg–Witten Floer homology and the triangulation conjecture](#). *J. Amer. Math. Soc.* **29** (2016), no. 1, 147–176
- [39] J. P. May and J. Sigurdsson, [Parametrized homotopy theory](#). Math. Surveys Monogr. 132, American Mathematical Society, Providence, RI, 2006

- [40] R. B. Melrose and P. Piazza, [Families of Dirac operators, boundaries and the \$b\$ -calculus](#). *J. Differential Geom.* **46** (1997), no. 1, 99–180
- [41] N. Moulis, [Sur les variétés Hilbertiennes et les fonctions non dégénérées](#). *Indag. Math.* **30** (1968), 497–511
- [42] T. Mrowka, P. Ozsváth, and B. Yu, [Seiberg–Witten monopoles on Seifert fibered spaces](#). *Comm. Anal. Geom.* **5** (1997), no. 4, 685–791
- [43] M. Mrozek, J. F. Reineck, and R. Szrednicki, [The Conley index over a base](#). *Trans. Amer. Math. Soc.* **352** (2000), no. 9, 4171–4194
- [44] L. I. Nicolaescu, [Adiabatic limits of the Seiberg–Witten equations on Seifert manifolds](#). *Comm. Anal. Geom.* **6** (1998), no. 2, 331–392
- [45] P. Ozsváth and Z. Szabó, [Absolutely graded Floer homologies and intersection forms for four-manifolds with boundary](#). *Adv. Math.* **173** (2003), no. 2, 179–261
- [46] M. Reed and B. Simon, *Methods of modern mathematical physics. I. Functional analysis*. Academic Press, New York, 1980
- [47] D. Salamon, [Connected simple systems and the Conley index of isolated invariant sets](#). *Trans. Amer. Math. Soc.* **291** (1985), no. 1, 1–41
- [48] H. Sasahira and M. Stoffregen, [Exact triangles in Seiberg–Witten Floer spectra](#). In preparation
- [49] M. Stoffregen, [Manolescu invariants of connected sums](#). *Proc. Lond. Math. Soc. (3)* **115** (2017), no. 5, 1072–1117
- [50] T. tom Dieck, [Bordism of \$G\$ -manifolds and integrality theorems](#). *Topology* **9** (1970), 345–358
- [51] E. Witten, [Monopoles and four-manifolds](#). *Math. Res. Lett.* **1** (1994), no. 6, 769–796