

References

- [1] K. Aguilar, *Quantum Metrics on Approximately Finite-Dimensional Algebras*. Ph.D. thesis, University of Denver, 2017. Available at <https://digitalcommons.du.edu/etd/1277>, visited on 2 February 2025
- [2] K. Aguilar and J. Kaad, **The Podleś sphere as a spectral metric space.** *J. Geom. Phys.* **133** (2018), 260–278
- [3] K. Aguilar, J. Kaad, and D. Kyed, **The Podleś spheres converge to the sphere.** *Comm. Math. Phys.* **392** (2022), no. 3, 1029–1061
- [4] K. Aguilar, J. Kaad, and D. Kyed, **Polynomial approximation of quantum Lipschitz functions.** *Doc. Math.* **27** (2022), 765–787
- [5] A. Y. Alekseev, A. Recknagel, and V. Schomerus, **Non-commutative world-volume geometries: branes on $SU(2)$ and fuzzy spheres.** *J. High Energy Phys.* (1999), no. 9, article no. 23
- [6] S. Baaj and G. Skandalis, **Unitaires multiplicatifs et dualité pour les produits croisés de C^* -algèbres.** *Ann. Sci. École Norm. Sup. (4)* **26** (1993), no. 4, 425–488
- [7] E. Bédos, G. J. Murphy, and L. Tuset, **Co-amenable of compact quantum groups.** *J. Geom. Phys.* **40** (2001), no. 2, 130–153
- [8] J. Bhowmick, C. Voigt, and J. Zacharias, **Compact quantum metric spaces from quantum groups of rapid decay.** *J. Noncommut. Geom.* **9** (2015), no. 4, 1175–1200
- [9] P. N. Bibikov and P. P. Kulish, **Dirac operators on the quantum group $SU_q(2)$ and the quantum sphere.** *Zap. Nauchn. Sem. S.-Peterburg. Otdel. Mat. Inst. Steklov. (POMI)* **245** (1997), no. Vopr. Kvant. Teor. Polya i Stat. Fiz. 14, 49–65
- [10] É. Blanchard, **Déformations de C^* -algèbres de Hopf.** *Bull. Soc. Math. France* **124** (1996), no. 1, 141–215
- [11] D. Blecher, J. Kaad, and B. Mesland, **Operator $*$ -correspondences in analysis and geometry.** *Proc. Lond. Math. Soc. (3)* **117** (2018), no. 2, 303–344
- [12] A. L. Carey, S. Neshveyev, R. Nest, and A. Rennie, **Twisted cyclic theory, equivariant KK -theory and KMS states.** *J. Reine Angew. Math.* **650** (2011), 161–191
- [13] P. S. Chakraborty and A. Pal, **Equivariant spectral triples and Poincaré duality for $SU_q(2)$.** *Trans. Amer. Math. Soc.* **362** (2010), no. 8, 4099–4115
- [14] A. Connes, **Noncommutative differential geometry.** *Inst. Hautes Études Sci. Publ. Math.* (1985), no. 62, 41–144
- [15] A. Connes, **Compact metric spaces, Fredholm modules, and hyperfiniteness.** *Ergodic Theory Dynam. Systems* **9** (1989), no. 2, 207–220
- [16] A. Connes, *Noncommutative geometry*. Academic Press, San Diego, CA, 1994
- [17] A. Connes, **Gravity coupled with matter and the foundation of non-commutative geometry.** *Comm. Math. Phys.* **182** (1996), no. 1, 155–176
- [18] A. Connes and H. Moscovici, **The local index formula in noncommutative geometry.** *Geom. Funct. Anal.* **5** (1995), no. 2, 174–243

- [19] A. Connes and H. Moscovici, Type III and spectral triples. In *Traces in number theory, geometry and quantum fields*, pp. 57–71, Aspects Math. E38, Friedr. Vieweg, Wiesbaden, 2008
- [20] A. Connes and W. D. van Suijlekom, [Spectral truncations in noncommutative geometry and operator systems](#). *Comm. Math. Phys.* **383** (2021), no. 3, 2021–2067
- [21] L. Dąbrowski, G. Landi, A. Sitarz, W. van Suijlekom, and J. C. Várilly, [The Dirac operator on \$SU_q\(2\)\$](#) . *Comm. Math. Phys.* **259** (2005), no. 3, 729–759
- [22] L. Dąbrowski and A. Sitarz, [Dirac operator on the standard Podleś quantum sphere](#). In *Noncommutative geometry and quantum groups (Warsaw, 2001)*, pp. 49–58, Banach Center Publ. 61, Institute of Mathematics of the Polish Academy of Sciences, Warsaw, 2003
- [23] D. A. Edwards, [The structure of superspace](#). In *Studies in topology (Proc. Conf., Univ. North Carolina, Charlotte, N.C., 1974; dedicated to Math. Sect. Polish Acad. Sci.)*, pp. 121–133, Academic Press, New York-London, 1975
- [24] T. Friedrich, [Dirac operators in Riemannian geometry](#). Grad. Stud. Math. 25, American Mathematical Society, Providence, RI, 2000
- [25] T. Gotfredsen, J. Kaad, and D. Kyed, [Gromov–Hausdorff convergence of quantised intervals](#). *J. Math. Anal. Appl.* **500** (2021), no. 2, article no. 125131
- [26] M. Gromov, [Groups of polynomial growth and expanding maps](#). *Inst. Hautes Études Sci. Publ. Math.* (1981), no. 53, 53–73
- [27] H. Grosse, J. Madore, and H. Steinacker, [Field theory on the \$q\$ -deformed fuzzy sphere. I](#). *J. Geom. Phys.* **38** (2001), no. 3-4, 308–342
- [28] H. Grosse, J. Madore, and H. Steinacker, [Field theory on the \$q\$ -deformed fuzzy sphere. II. Quantization](#). *J. Geom. Phys.* **43** (2002), no. 2-3, 205–240
- [29] H. Grosse and P. Prešnajder, [The Dirac operator on the fuzzy sphere](#). *Lett. Math. Phys.* **33** (1995), no. 2, 171–181
- [30] P. M. Hajac and S. Majid, [Projective module description of the \$q\$ -monopole](#). *Comm. Math. Phys.* **206** (1999), no. 2, 247–264
- [31] M. Izumi, S. Neshveyev, and L. Tuset, [Poisson boundary of the dual of \$SU_q\(n\)\$](#) . *Comm. Math. Phys.* **262** (2006), no. 2, 505–531
- [32] J. Kaad, [Differentiable absorption of Hilbert \$C^*\$ -modules, connections, and lifts of unbounded operators](#). *J. Noncommut. Geom.* **11** (2017), no. 3, 1037–1068
- [33] J. Kaad, [The unbounded Kasparov product by a differentiable module](#). *J. Noncommut. Geom.* **15** (2021), no. 2, 423–487
- [34] J. Kaad, Noncommutative metric geometry of quantum circle bundles. 2024, arXiv:[2410.03475v1](https://arxiv.org/abs/2410.03475v1)
- [35] J. Kaad and D. Kyed, [Dynamics of compact quantum metric spaces](#). *Ergodic Theory Dynam. Systems* **41** (2021), no. 7, 2069–2109
- [36] J. Kaad and M. Lesch, [A local global principle for regular operators in Hilbert \$C^*\$ -modules](#). *J. Funct. Anal.* **262** (2012), no. 10, 4540–4569
- [37] J. Kaad and M. Lesch, [Spectral flow and the unbounded Kasparov product](#). *Adv. Math.* **248** (2013), 495–530

- [38] J. Kaad and R. Senior, A twisted spectral triple for quantum $SU(2)$. *J. Geom. Phys.* **62** (2012), no. 4, 731–739
- [39] D. Kerr, Matricial quantum Gromov–Hausdorff distance. *J. Funct. Anal.* **205** (2003), no. 1, 132–167
- [40] A. Klimyk and K. Schmüdgen, *Quantum groups and their representations*. Texts Monogr. Phys., Springer, Berlin, 1997
- [41] U. Krähmer, A. Rennie, and R. Senior, A residue formula for the fundamental Hochschild 3-cocycle for $SU_q(2)$. *J. Lie Theory* **22** (2012), no. 2, 557–585
- [42] U. Krähmer and E. Wagner, Twisted Dirac operator on quantum $SU(2)$ in disc coordinates. In *Operator algebras, Toeplitz operators and related topics*, pp. 233–253, Oper. Theory Adv. Appl. 279, Birkhäuser/Springer, Cham, 2020
- [43] J. Kustermans and S. Vaes, Locally compact quantum groups. *Ann. Sci. École Norm. Sup. (4)* **33** (2000), no. 6, 837–934
- [44] F. Latrémolière, Approximation of quantum tori by finite quantum tori for the quantum Gromov–Hausdorff distance. *J. Funct. Anal.* **223** (2005), no. 2, 365–395
- [45] F. Latrémolière, Bounded-Lipschitz distances on the state space of a C^* -algebra. *Taiwanese J. Math.* **11** (2007), no. 2, 447–469
- [46] F. Latrémolière, The dual Gromov–Hausdorff propinquity. *J. Math. Pures Appl. (9)* **103** (2015), no. 2, 303–351
- [47] F. Latrémolière, The quantum Gromov–Hausdorff propinquity. *Trans. Amer. Math. Soc.* **368** (2016), no. 1, 365–411
- [48] F. Latrémolière, The modular Gromov–Hausdorff propinquity. *Dissertationes Math.* **544** (2019), 1–70
- [49] F. Latrémolière, The Gromov–Hausdorff propinquity for metric spectral triples. *Adv. Math.* **404** (2022), part A, article no. 108393
- [50] F. Latrémolière and J. Packer, Noncommutative solenoids. *New York J. Math.* **24A** (2018), 155–191
- [51] M. Lesch and B. Mesland, Sums of regular self-adjoint operators in Hilbert- C^* -modules. *J. Math. Anal. Appl.* **472** (2019), no. 1, 947–980
- [52] H. Li, C^* -algebraic quantum Gromov–Hausdorff distance. [v1] 2003, [v2] 2004, arXiv:math/0312003v2
- [53] H. Li, Order-unit quantum Gromov–Hausdorff distance. *J. Funct. Anal.* **231** (2006), no. 2, 312–360
- [54] H. Li, Compact quantum metric spaces and ergodic actions of compact quantum groups. *J. Funct. Anal.* **256** (2009), no. 10, 3368–3408
- [55] J. Madore, The fuzzy sphere. *Classical Quantum Gravity* **9** (1992), no. 1, 69–87
- [56] J. Madore, *An introduction to noncommutative differential geometry and its physical applications*. 2nd edn., London Math. Soc. Lecture Note Ser. 257, Cambridge University Press, Cambridge, 1999

- [57] S. Majid, *Quantum groups and noncommutative geometry*. *J. Math. Phys.* **41** (2000), no. 6, 3892–3942
- [58] B. Mesland, *Unbounded bivariant K-theory and correspondences in noncommutative geometry*. *J. Reine Angew. Math.* **691** (2014), 101–172
- [59] B. Mesland and A. Rennie, *Nonunital spectral triples and metric completeness in unbounded KK-theory*. *J. Funct. Anal.* **271** (2016), no. 9, 2460–2538
- [60] M. H. Mikkelsen and J. Kaad, *Spectral metrics on quantum projective spaces*. *J. Funct. Anal.* **287** (2024), no. 2, article no. 110466
- [61] S. Neshveyev and L. Tuset, *A local index formula for the quantum sphere*. *Comm. Math. Phys.* **254** (2005), no. 2, 323–341
- [62] S. Neshveyev and L. Tuset, *The Dirac operator on compact quantum groups*. *J. Reine Angew. Math.* **641** (2010), 1–20
- [63] N. Ozawa and M. A. Rieffel, *Hyperbolic group C^* -algebras and free-product C^* -algebras as compact quantum metric spaces*. *Canad. J. Math.* **57** (2005), no. 5, 1056–1079
- [64] V. Paulsen, *Completely bounded maps and operator algebras*. Cambridge Stud. Adv. Math. 78, Cambridge University Press, Cambridge, 2002
- [65] G. Pisier, *Similarity problems and completely bounded maps*. 2nd, expanded edn., Lecture Notes in Math. 1618, Springer, Berlin, 2001
- [66] P. Podleś, *Quantum spheres*. *Lett. Math. Phys.* **14** (1987), no. 3, 193–202
- [67] M. A. Rieffel, *Metrics on states from actions of compact groups*. *Doc. Math.* **3** (1998), 215–229
- [68] M. A. Rieffel, *Metrics on state spaces*. *Doc. Math.* **4** (1999), 559–600
- [69] M. A. Rieffel, *Group C^* -algebras as compact quantum metric spaces*. *Doc. Math.* **7** (2002), 605–651
- [70] M. A. Rieffel, *Gromov–Hausdorff distance for quantum metric spaces*. *Mem. Amer. Math. Soc.* **168** (2004), no. 796, 1–65
- [71] M. A. Rieffel, *Matrix algebras converge to the sphere for quantum Gromov–Hausdorff distance*. *Mem. Amer. Math. Soc.* **168** (2004), no. 796, 67–91
- [72] J. Sain, *Berezin quantization from ergodic actions of compact quantum groups, and quantum Gromov–Hausdorff distance*. Ph.D. thesis, University of California, Berkeley, 2009
- [73] M. Schlichenmaier, *Berezin–Toeplitz quantization and Berezin transform*. In *Long time behaviour of classical and quantum systems (Bologna, 1999)*, pp. 271–287, Ser. Concr. Appl. Math. 1, World Scientific, River Edge, NJ, 2001
- [74] M. Takesaki, *Theory of operator algebras. II*. Encyclopaedia Math. Sci. 125, Springer, Berlin, 2003
- [75] T. Timmermann, *An invitation to quantum groups and duality*. EMS Textbk. Math., European Mathematical Society (EMS), Zürich, 2008

- [76] J. Tomiyama, [Applications of Fubini type theorem to the tensor products of \$C^*\$ -algebras.](#) *Tohoku Math. J. (2)* **19** (1967), 213–226
- [77] W. D. van Suijlekom, [Gromov–Hausdorff convergence of state spaces for spectral truncations.](#) *J. Geom. Phys.* **162** (2021), article no. 104075
- [78] S. L. Woronowicz, [Twisted \$SU\(2\)\$ group. An example of a noncommutative differential calculus.](#) *Publ. Res. Inst. Math. Sci.* **23** (1987), no. 1, 117–181
- [79] S. L. Woronowicz, Compact quantum groups. In *Symétries quantiques (Les Houches, 1995)*, pp. 845–884, North-Holland, Amsterdam, 1998