

Références

- [1] J. Arthur, A trace formula for reductive groups. II. Applications of a truncation operator. *Compos. Math.* **40** (1980), n° 1, 87–121
- [2] J. Arthur, On a family of distributions obtained from Eisenstein series. II. Explicit formulas. *Amer. J. Math.* **104** (1982), n° 6, 1289–1336
- [3] J. Arthur, On the inner product of truncated Eisenstein series. *Duke Math. J.* **49** (1982), n° 1, 35–70
- [4] J. Arthur, A measure on the unipotent variety. *Canad. J. Math.* **37** (1985), n° 6, 1237–1274
- [5] J. Arthur, On a family of distributions obtained from orbits. *Canad. J. Math.* **38** (1986), n° 1, 179–214
- [6] J. Arthur, The invariant trace formula. I. Local theory. *J. Amer. Math. Soc.* **1** (1988), n° 2, 323–383
- [7] J. Arthur, The invariant trace formula. II. Global theory. *J. Amer. Math. Soc.* **1** (1988), n° 3, 501–554
- [8] J. Arthur, A local trace formula. *Publ. Math. Inst. Hautes Études Sci.* (1991), n° 73, 5–96
- [9] J. Arthur, A stable trace formula. II. Global descent. *Invent. Math.* **143** (2001), n° 1, 157–220
- [10] J. Arthur, A stable trace formula. I. General expansions. *J. Inst. Math. Jussieu* **1** (2002), n° 2, 175–277
- [11] J. Arthur, A stable trace formula. III. Proof of the main theorems. *Ann. of Math. (2)* **158** (2003), n° 3, 769–873
- [12] J. Arthur, *The endoscopic classification of representations*. Amer. Math. Soc. Colloq. Publ. 61, American Mathematical Society, Providence, RI, 2013
- [13] J. G. Arthur, A trace formula for reductive groups. I. Terms associated to classes in $G(\mathbf{Q})$. *Duke Math. J.* **45** (1978), n° 4, 911–952
- [14] A. Borel, *Introduction aux groupes arithmétiques*. Publications de l’Institut de Mathématique de l’Université de Strasbourg, XV. Actualités Scientifiques et Industrielles 1341, Hermann, Paris, 1969
- [15] A. Borel, *Linear algebraic groups*. 2^e éd., Grad. Texts in Math. 126, Springer, New York, 1991
- [16] A. Borel and J. Tits, Groupes réductifs. *Publ. Math. Inst. Hautes Études Sci.* (1965), n° 27, 55–150
- [17] V. G. Drinfel’d, Cohomology of compactified moduli varieties of F -sheaves of rank 2 (in Russian). *Zap. Nauchn. Sem. Leningrad. Otdel. Mat. Inst. Steklov. (LOMI)* **162** (1987), 107–158, 189. [English translation](#): *Journal of Soviet Mathematics* **46** (1989), 1789–1821
- [18] V. G. Drinfel’d, Varieties of modules of F -sheaves (in Russian). *Funktsional. Anal. i Prilozhen.* **21** (1987), n° 2, 23–41. [English translation](#): *Functional Analysis and Its Applications* **21** (1987), 107–122

- [19] G. Harder, [Halbeinfache Gruppenschemata über vollständigen Kurven](#). *Invent. Math.* **6** (1968), 107–149
- [20] G. Harder, [Minkowskische Reduktionstheorie über Funktionenkörpern](#). *Invent. Math.* **7** (1969), 33–54
- [21] G. Harder, [Chevalley groups over function fields and automorphic forms](#). *Ann. of Math.* (2) **100** (1974), 249–306
- [22] H. Jacquet and R. P. Langlands, [Automorphic forms on \$GL\(2\)\$](#) . Lecture Notes in Math. 114, Springer, Berlin-New York, 1970
- [23] J.-P. Labesse, [\$L\$ -indistinguishable representations and trace formula for \$SL\(2\)\$](#) . In *Lie groups and their representations (Proc. Summer School, Bolyai János Math. Soc., Budapest, 1971)*, pp. 331–338, Halsted Press, New York-Toronto, Ont., 1975
- [24] J.-P. Labesse and R. P. Langlands, [\$L\$ -indistinguishability for \$SL\(2\)\$](#) . *Canad. J. Math.* **31** (1979), n° 4, 726–785
- [25] J.-P. Labesse and J.-L. Waldspurger, [La formule des traces tordue d'après le Friday Morning Seminar](#). CRM Monogr. Ser. 31, American Mathematical Society, Providence, RI, 2013
- [26] L. Lafforgue, [Chtoucas de Drinfeld et conjecture de Ramanujan-Petersson](#). Astérisque 243, Soc. math. de France, 1997
- [27] L. Lafforgue, [Chtoucas de Drinfeld et correspondance de Langlands](#). *Invent. Math.* **147** (2002), n° 1, 1–241
- [28] R. P. Langlands, [On the functional equations satisfied by Eisenstein series](#). Lecture Notes in Math. 544, Springer, Berlin-New York, 1976
- [29] R. P. Langlands, [Base change for \$GL\(2\)\$](#) . Ann. of Math. Stud. 96, Princeton University Press, Princeton, NJ; University of Tokyo Press, Tokyo, 1980
- [30] G. Laumon, [Cohomology of Drinfeld modular varieties. Part II](#). Cambridge Stud. Adv. Math. 56, Cambridge University Press, Cambridge, 1997
- [31] B. Lemaire and G. Henniart, [Représentations des espaces tordus sur un groupe réductif connexe \$p\$ -adique](#). Astérisque 386, Soc. math. de France, 2017
- [32] C. Mœglin and J.-L. Waldspurger, [Décomposition spectrale et séries d'Eisenstein](#). Progr. Math. 113, Birkhäuser, Basel, 1994
- [33] C. Mœglin and J.-L. Waldspurger, [Stabilisation de la formule des traces tordue. Vol. 1](#). Progr. Math. 316, Birkhäuser/Springer, Cham, 2016
- [34] C. Mœglin and J.-L. Waldspurger, [La formule des traces locale tordue](#). Mem. Amer. Math. Soc. 251, Amer. Math. Soc., 2018
- [35] L. E. Morris, [Eisenstein series for reductive groups over global function fields. I. The cusp form case](#). *Canad. J. Math.* **34** (1982), n° 1, 91–168
- [36] L. E. Morris, [Eisenstein series for reductive groups over global function fields. II. The general case](#). *Canad. J. Math.* **34** (1982), n° 5, 1112–1182
- [37] T. Ngô Dac, [Sur le développement spectral de la formule des traces d'Arthur-Selberg sur les corps de fonctions](#). *Bull. Soc. Math. France* **137** (2009), n° 4, 545–586

- [38] A. Selberg, Harmonic analysis and discontinuous groups in weakly symmetric Riemannian spaces with applications to Dirichlet series. *J. Indian Math. Soc. (N.S.)* **20** (1956), 47–87
- [39] T. A. Springer, [Reduction theory over global fields](#). *Proc. Indian Acad. Sci. Math. Sci.* **104** (1994), n° 1, 207–216