

References

- [1] T. Abe and C. Lazda, [Proper pushforwards on analytic adic spaces](#). *Q. J. Math.* **76** (2025), no. 1, 147–183
- [2] C. Bănică and O. Stănășilă, *Algebraic methods in the global theory of complex spaces*. John Wiley & Sons, London, 1976
- [3] D. Benois, [On Iwasawa theory of crystalline representations](#). *Duke Math. J.* **104** (2000), no. 2, 211–267
- [4] L. Berger, [Bloch and Kato’s exponential map: three explicit formulas](#). *Doc. Math. Extra Vol.* (2003), 99–129
- [5] L. Berger, [Limites de représentations cristallines](#). *Compos. Math.* **140** (2004), no. 6, 1473–1498
- [6] L. Berger, [Multivariable \$\(\varphi, \Gamma\)\$ -modules and locally analytic vectors](#). *Duke Math. J.* **165** (2016), no. 18, 3567–3595
- [7] L. Berger and L. Fourquaux, [Iwasawa theory and \$F\$ -analytic Lubin-Tate \$\(\varphi, \Gamma\)\$ -modules](#). *Doc. Math.* **22** (2017), 999–1030
- [8] L. Berger, P. Schneider, and B. Xie, [Rigid character groups, Lubin-Tate theory, and \$\(\varphi, \Gamma\)\$ -modules](#). *Mem. Amer. Math. Soc.* **263** (2020), no. 1275, v+79
- [9] V. G. Berkovich, *Spectral theory and analytic geometry over non-Archimedean fields*. Math. Surveys Monogr. 33, American Mathematical Society, Providence, RI, 1990
- [10] P. Beyer, [On Serre-duality for coherent sheaves on rigid-analytic spaces](#). *Manuscripta Math.* **93** (1997), no. 2, 219–245
- [11] P. Beyer, *Zur Serre-Dualität für kohärente Garben auf rigid-analytischen Räumen*. Schriftenreihe Math. Inst. Univ. Münster 3. Ser. 20, Univ. Münster, Math. Inst., Münster, 1997
- [12] S. Bloch and K. Kato, [\$L\$ -functions and Tamagawa numbers of motives](#). In *The Grothendieck Festschrift, Vol. I*, pp. 333–400, Progr. Math. 86, Birkhäuser, Boston, MA, 1990
- [13] A. Borel and N. R. Wallach, *Continuous cohomology, discrete subgroups, and representations of reductive groups*. Ann. of Math. Stud. 94, Princeton University Press, Princeton, NJ; University of Tokyo Press, Tokyo, 1980
- [14] S. Bosch, U. Güntzer, and R. Remmert, *Non-Archimedean analysis. A systematic approach to rigid analytic geometry*. Grundlehren Math. Wiss. 261, Springer, Berlin, 1984
- [15] N. Bourbaki, *Topological vector spaces. Chapters 1–5*. Elem. Math., Springer, Berlin, 1987
- [16] N. Bourbaki, *Commutative algebra. Chapters 1–7*. Elem. Math., Springer, Berlin, 1989
- [17] N. Bourbaki, *Éléments de mathématique. Topologie générale. Chapitres 5 à 10*. Springer, Berlin, 2007

- [18] F. Cherbonnier and P. Colmez, [Représentations \$p\$ -adiques surconvergentes](#). *Invent. Math.* **133** (1998), no. 3, 581–611
- [19] F. Cherbonnier and P. Colmez, [Théorie d’Iwasawa des représentations \$p\$ -adiques d’un corps local](#). *J. Amer. Math. Soc.* **12** (1999), no. 1, 241–268
- [20] B. Chiarellotto, [Duality in rigid analysis](#). In *p -adic analysis (Trento, 1989)*, pp. 142–172, Lecture Notes in Math. 1454, Springer, Berlin, 1990
- [21] R. F. Coleman, [Division values in local fields](#). *Invent. Math.* **53** (1979), no. 2, 91–116
- [22] P. Colmez, [Théorie d’Iwasawa des représentations de de Rham d’un corps local](#). *Ann. of Math. (2)* **148** (1998), no. 2, 485–571
- [23] P. Colmez, [Représentations cristallines et représentations de hauteur finie](#). *J. Reine Angew. Math.* **514** (1999), 119–143
- [24] P. Colmez, [Espaces de Banach de dimension finie](#). *J. Inst. Math. Jussieu* **1** (2002), no. 3, 331–439
- [25] P. Colmez, [Représentations localement analytiques de \$\mathrm{GL}_2\(\mathbf{Q}_p\)\$ et \$\(\varphi, \Gamma\)\$ -modules](#). *Represent. Theory* **20** (2016), 187–248
- [26] P. Colmez and W. Nizioł, [Syntomic complexes and \$p\$ -adic nearby cycles](#). *Invent. Math.* **208** (2017), no. 1, 1–108
- [27] E. de Shalit, *Iwasawa theory of elliptic curves with complex multiplication. p -adic L functions*. Perspect. Math. 3, Academic Press, Boston, MA, 1987
- [28] D. Eisenbud, *Commutative algebra*. Grad. Texts in Math. 150, Springer, New York, 1995
- [29] M. Emerton, [Locally analytic vectors in representations of locally \$p\$ -adic analytic groups](#). *Mem. Amer. Math. Soc.* **248** (2017), no. 1175, iv+158
- [30] L. Fargues and J.-M. Fontaine, [Courbes et fibrés vectoriels en théorie de Hodge \$p\$ -adique](#). *Astérisque* **406** (2018), xiii+382
- [31] J.-M. Fontaine, Modules galoisiens, modules filtrés et anneaux de Barsotti-Tate. In *Journées de Géométrie Algébrique de Rennes (Rennes, 1978)*, Vol. III, pp. 3–80, Astérisque 65, Soc. Math. France, Paris, 1979
- [32] L. Fourquaux, *Logarithme de Perrin-Riou pour des extensions associées à un groupe de Lubin-Tate*. Ph.D. thesis, Université Paris 6, 2005, <https://math.lionel.fourquaux.org/publications/these.pdf> visited on 4 August 2025
- [33] L. Fourquaux and B. Xie, [Triangulable \$\mathcal{O}_F\$ -analytic \$\(\varphi_q, \Gamma\)\$ -modules of rank 2](#). *Algebra Number Theory* **7** (2013), no. 10, 2545–2592
- [34] T. Fukaya and K. Kato, [A formulation of conjectures on \$p\$ -adic zeta functions in non-commutative Iwasawa theory](#). In *Proceedings of the St. Petersburg Mathematical Society. Vol. XII*, pp. 1–85, Amer. Math. Soc. Transl. Ser. 2 219, American Mathematical Society, Providence, RI, 2006
- [35] A. Grothendieck and J. A. Dieudonné, *Éléments de géométrie algébrique. I*. Grundlehren Math. Wiss. 166, Springer, Berlin, 1971
- [36] L. Gruson, [Théorie de Fredholm \$p\$ -adique](#). *Bull. Soc. Math. France* **94** (1966), 67–95

- [37] M. Hazewinkel, *Formal groups and applications*. Pure Appl. Math. 78, Academic Press, New York, 1978
- [38] L. Herr, [Une approche nouvelle de la dualité locale de Tate](#). *Math. Ann.* **320** (2001), no. 2, 307–337
- [39] K. S. Kedlaya, Slope filtrations for relative Frobenius. *Astérisque* **319** (2008), 259–301
- [40] K. S. Kedlaya, [New methods for \$\(\Gamma, \varphi\)\$ -modules](#). *Res. Math. Sci.* **2** (2015), article no. 20
- [41] K. S. Kedlaya, Some slope theory for multivariate Robba rings. [v1] 2013, [v3] 2020, arXiv:1311.7468v3
- [42] K. S. Kedlaya, J. Pottharst, and L. Xiao, [Cohomology of arithmetic families of \$\(\varphi, \Gamma\)\$ -modules](#). *J. Amer. Math. Soc.* **27** (2014), no. 4, 1043–1115
- [43] M. Kisin, [Crystalline representations and \$F\$ -crystals](#). In *Algebraic geometry and number theory*, pp. 459–496, Progr. Math. 253, Birkhäuser, Boston, MA, 2006
- [44] M. Kisin and W. Ren, [Galois representations and Lubin-Tate groups](#). *Doc. Math.* **14** (2009), 441–461
- [45] B. Kupferer and O. Venjakob, [Herr-complexes in the Lubin-Tate setting](#). *Mathematika* **68** (2022), no. 1, 74–147
- [46] B. J. Kupferer, *Two ways to compute Galois cohomology using Lubin-Tate (φ, Γ) -modules, a reciprocity law and a regulator map*. Ph.D. thesis, Ruprecht-Karls-Universität Heidelberg, 2020, <https://archiv.ub.uni-heidelberg.de/volltextserver/28383/> visited on 4 August 2025
- [47] S. Lang, *Cyclotomic fields*. Grad. Texts in Math. 59, Springer, New York, 1978
- [48] M. Lazard, [Les zéros des fonctions analytiques d’une variable sur un corps valué complet](#). *Publ. Math. Inst. Hautes Études Sci.* **14** (1962), 47–75
- [49] M. Lazard, Groupes analytiques p -adiques. *Publ. Math. Inst. Hautes Études Sci.* **26** (1965), 389–603
- [50] R. Liu, [Cohomology and duality for \$\(\phi, \Gamma\)\$ -modules over the Robba ring](#). *Int. Math. Res. Not. IMRN* **2008** (2008), no. 3, article no. rnm150
- [51] D. Loeffler, O. Venjakob, and S. L. Zerbes, [Local epsilon isomorphisms](#). *Kyoto J. Math.* **55** (2015), no. 1, 63–127
- [52] D. Loeffler and S. L. Zerbes, [Iwasawa theory and \$p\$ -adic \$L\$ -functions over \$\mathbb{Z}_p^2\$ -extensions](#). *Int. J. Number Theory* **10** (2014), no. 8, 2045–2095
- [53] S. Lubkin, *Cohomology of completions*. North-Holland Math. Stud. 42, North-Holland Publishing, Amsterdam, 1980
- [54] M. Malčič, [Trace maps on rigid Stein spaces](#). *Manuscripta Math.* **175** (2024), no. 3–4, 1119–1160
- [55] M. Malčic, R. Steingart, O. Venjakob, and M. Witzelsperger, [\$\varepsilon\$ -isomorphisms for rank one \$\(\varphi, \Gamma\)\$ -modules over Lubin-Tate Robba rings](#). *J. Inst. Math. Jussieu* **24** (2025), no. 5, 1895–1994
- [56] M. Manji, *Selmer complexes and Iwasawa theory for $\mathrm{GU}(2, 1)$* . Ph.D. thesis, University of Warwick, 2024

- [57] H. Matsumura, *Commutative ring theory*. Cambridge Stud. Adv. Math. 8, Cambridge University Press, Cambridge, 1986
- [58] J. Nekovář, *Selmer complexes*. *Astérisque* **310** (2006), viii+559
- [59] J. Neukirch, A. Schmidt, and K. Wingberg, *Cohomology of number fields*. 2nd edn., Grundlehren Math. Wiss. 323, Springer, Berlin, 2008
- [60] W. Nizioł, *Cohomology of crystalline representations*. *Duke Math. J.* **71** (1993), no. 3, 747–791
- [61] C. Perez-Garcia and W. H. Schikhof, *Locally convex spaces over non-Archimedean valued fields*. Cambridge Stud. Adv. Math. 119, Cambridge University Press, Cambridge, 2010
- [62] B. Perrin-Riou, *Théorie d’Iwasawa des représentations p -adiques sur un corps local*. *Invent. Math.* **115** (1994), no. 1, 81–161
- [63] F. Prosmans, *Derived projective limits of topological abelian groups*. *J. Funct. Anal.* **162** (1999), no. 1, 135–177
- [64] P. Robba and G. Christol, *Équations différentielles p -adiques*. Actualités Math., Hermann, Paris, 1994
- [65] N. Saavedra Rivano, *Catégories Tannakiennes*. Lecture Notes in Mathematics 265, Springer, Berlin, 1972
- [66] T. Sano and O. Venjakob, *On Lubin-Tate regulator maps and Kato’s explicit reciprocity law*. 2024, arXiv:2412.12429v1
- [67] W. H. Schikhof and Y. Morita, *Duality of projective limit spaces and inductive limit spaces over a nonspherically complete non-Archimedean field*. *Tohoku Math. J. (2)* **38** (1986), no. 3, 387–397
- [68] T. Schmidt, *Auslander regularity of p -adic distribution algebras*. *Represent. Theory* **12** (2008), 37–57
- [69] T. Schmidt, *On locally analytic Beilinson–Bernstein localization and the canonical dimension*. *Math. Z.* **275** (2013), no. 3–4, 793–833
- [70] P. Schneider, *Points of rigid analytic varieties*. *J. Reine Angew. Math.* **434** (1993), 127–157
- [71] P. Schneider, *Nonarchimedean functional analysis*. Springer Monogr. Math., Springer, Berlin, 2002
- [72] P. Schneider, *p -adic Lie groups*. Grundlehren Math. Wiss. 344, Springer, Heidelberg, 2011
- [73] P. Schneider, *Galois representations and (φ, Γ) -modules*. Cambridge Stud. Adv. Math. 164, Cambridge University Press, Cambridge, 2017
- [74] P. Schneider and J. Teitelbaum, *p -adic Fourier theory*. *Doc. Math.* **6** (2001), 447–481
- [75] P. Schneider and J. Teitelbaum, *Locally analytic distributions and p -adic representation theory, with applications to GL_2* . *J. Amer. Math. Soc.* **15** (2002), no. 2, 443–468
- [76] P. Schneider and J. Teitelbaum, *Algebras of p -adic distributions and admissible representations*. *Invent. Math.* **153** (2003), no. 1, 145–196

- [77] P. Schneider and J. Teitelbaum, [Duality for admissible locally analytic representations](#). *Represent. Theory* **9** (2005), 297–326
- [78] P. Schneider and J. Teitelbaum, [Banach-Hecke algebras and \$p\$ -adic Galois representations](#). *Doc. Math. Extra Vol.* (2006), 631–684
- [79] P. Schneider and O. Venjakob, [A splitting for \$K_1\$ of completed group rings](#). *Comment. Math. Helv.* **88** (2013), no. 3, 613–642
- [80] P. Schneider and O. Venjakob, [Coates–Wiles homomorphisms and Iwasawa cohomology for Lubin–Tate extensions](#). In *Elliptic curves, modular forms and Iwasawa theory*, pp. 401–468, Springer Proc. Math. Stat. 188, Springer, Cham, 2016
- [81] J.-P. Serre, *Abelian l -adic representations and elliptic curves*. W. A. Benjamin, New York, 1968
- [82] The Stacks project, <https://stacks.math.columbia.edu> visited on 4 August 2025
- [83] R. Steingart, *Frobeniusregularisierung und Limites L -kristalliner Darstellungen*. Master’s thesis, Heidelberg University, 2019
- [84] R. Steingart, *Analytic cohomology of families of L -analytic Lubin–Tate (φ_L, Γ_L) -modules*. Ph.D. thesis, Heidelberg University, 2022, <https://archiv.ub.uni-heidelberg.de/volltextserver/32192/> visited on 11 September 2025
- [85] R. Steingart, [Finiteness of analytic cohomology of Lubin–Tate \$\(\varphi_L, \Gamma_L\)\$ -modules](#). *J. Number Theory* **263** (2024), 24–78
- [86] R. Steingart, [Iwasawa cohomology of analytic \$\(\varphi_L, \Gamma_L\)\$ -modules](#). *Acta Arith.* **216** (2024), no. 2, 123–176
- [87] O. Thomas, *On analytic and Iwasawa cohomology*. Ph.D. thesis, Heidelberg University, 2019, <https://archiv.ub.uni-heidelberg.de/volltextserver/27443/> visited on 11 September 2025
- [88] O. Thomas, [Cohomology of topologised monoids](#). *Math. Z.* **301** (2022), no. 3, 2793–2840
- [89] O. Thomas, [Duality for \$K\$ -analytic group cohomology of \$p\$ -adic Lie groups](#). *C. R. Math. Acad. Sci. Paris* **360** (2022), 1213–1226
- [90] M. van der Put, [Serre duality for rigid analytic spaces](#). *Indag. Math. (N.S.)* **3** (1992), no. 2, 219–235
- [91] A. C. M. van Rooij, *Non-Archimedean functional analysis*. Monogr. Textbooks Pure Appl. Math. 51, Marcel Dekker, New York, 1978
- [92] O. Venjakob, [Explicit reciprocity laws in Iwasawa theory: a survey with some focus on the Lubin–Tate setting](#). In *Arithmetic of L -functions*, pp. 201–251, EMS Ser. Congr. Rep., EMS Press, Berlin, 2025