

References

- [1] P. Alphonse and J. Bernier, [Polar decomposition of semigroups generated by non-selfadjoint quadratic differential operators and regularizing effects](#). *Ann. Sci. Éc. Norm. Supér. (4)* **56** (2023), no. 2, 323–382
- [2] I. Asekritova, F. Cobos, and N. Kruglyak, [Interpolation of closed subspaces and invertibility of operators](#). *Z. Anal. Anwend.* **34** (2015), no. 1, 1–15
- [3] A. K. Aziz, D. A. French, S. Jensen, and R. B. Kellogg, [Origins, analysis, numerical analysis, and numerical approximation of a forward-backward parabolic problem](#). *M2AN Math. Model. Numer. Anal.* **33** (1999), no. 5, 895–922
- [4] V. M. Babich, [On the extension of functions](#). *Uspehi Matem. Nauk (N.S.)* **8** (1953), no. 2, 111–113
- [5] C. Bacuta, [Subspace interpolation with applications to elliptic regularity](#). *Numer. Funct. Anal. Optim.* **29** (2008), no. 1-2, 88–114
- [6] C. Bacuta, J. H. Bramble, and J. E. Pasciak, [Using finite element tools in proving shift theorems for elliptic boundary value problems](#). *Numer. Linear Algebra Appl.* **10** (2003), no. 1-2, 33–64
- [7] H. Bahouri, J.-Y. Chemin, and R. Danchin, *Fourier analysis and nonlinear partial differential equations*. Grundlehren Math. Wiss. 343, Springer, Heidelberg, 2011
- [8] M. S. Baouendi and P. Grisvard, [Sur une équation d'évolution changeant de type](#). *J. Functional Analysis* **2** (1968), 352–367
- [9] R. Beals, [An abstract treatment of some forward-backward problems of transport and scattering](#). *J. Functional Analysis* **34** (1979), no. 1, 1–20
- [10] A. Behzadan and M. Holst, [Multiplication in Sobolev spaces, revisited](#). *Ark. Mat.* **59** (2021), no. 2, 275–306
- [11] O. B. Bočarov, [The first boundary value problem for the heat equation with indefinite coefficients](#). *Dinamika Sploshn. Sredy* (1978), no. 37, 27–39
- [12] S. N. Brown and K. Stewartson, [On the reversed flow solutions of the Falkner–Skan equation](#). *Mathematika* **13** (1966), 1–6
- [13] S. Chandler-Wilde, D. Hewett, and A. Moiola, [Corrigendum to: Interpolation of Hilbert and Sobolev spaces: Quantitative estimates and counterexamples](#). *Mathematika* **68** (2022), no. 4, 1393–1400
- [14] S. N. Chandler-Wilde, D. P. Hewett, and A. Moiola, [Interpolation of Hilbert and Sobolev spaces: Quantitative estimates and counterexamples](#). *Mathematika* **61** (2015), no. 2, 414–443
- [15] A.-L. Dalibard and D. Gérard-Varet, [Nonlinear boundary layers for rotating fluids](#). *Anal. PDE* **10** (2017), no. 1, 1–42
- [16] A.-L. Dalibard, F. Marbach, and J. Rax, [A nonlinear forward-backward problem](#). 2022, arXiv:2203.11067v3

- [17] A.-L. Dalibard and N. Masmoudi, [Separation for the stationary Prandtl equation](#). *Publ. Math. Inst. Hautes Études Sci.* **130** (2019), 187–297
- [18] H. Dietert and D. Gérard-Varet, [On the ill-posedness of the triple deck model](#). *SIAM J. Math. Anal.* **54** (2022), no. 2, 2611–2633
- [19] R. G. Douglas, [On majorization, factorization, and range inclusion of operators on Hilbert space](#). *Proc. Amer. Math. Soc.* **17** (1966), 413–415
- [20] A. Ducrot, M. Marion, and V. Volpert, [Reaction-diffusion problems with non-Fredholm operators](#). *Adv. Differential Equations* **13** (2008), no. 11-12, 1151–1192
- [21] W. E, [Boundary layer theory and the zero-viscosity limit of the Navier–Stokes equation](#). *Acta Math. Sin. (Engl. Ser.)* **16** (2000), no. 2, 207–218
- [22] G. Fichera, On a unified theory of boundary value problems for elliptic-parabolic equations of second order. In *Boundary problems in differential equations*, pp. 97–120, University Wisconsin Press, Madison, WI, 1960
- [23] W. Fleming, A problem of random accelerations. MRC Tech. Rep. 403, Mathematics Research Center, University of Wisconsin, Madison, WI, 1963
- [24] M. Gevrey, Sur les équations aux dérivées partielles du type parabolique (suite). *J. Math. Pures Appl., Sér. 6* **10** (1914), 105–148
- [25] J. A. Goldstein and T. Mazumdar, [A heat equation in which the diffusion coefficient changes sign](#). *J. Math. Anal. Appl.* **103** (1984), no. 2, 533–564
- [26] S. Goldstein, [On laminar boundary-layer flow near a position of separation](#). *Quart. J. Mech. Appl. Math.* **1** (1948), 43–69
- [27] Y. P. Gor’kov, A formula for the solution of a certain boundary value problem for the stationary equation of Brownian motion (in Russian). *Dokl. Akad. Nauk SSSR* **223** (1975), no. 3, 525–528 English translation: *Sov. Math. Dokl.* **16** (1975) 904–908
- [28] P. Grisvard, *Elliptic problems in nonsmooth domains*. Monogr. Stud. Math. 24, Pitman (Advanced Publishing Program), Boston, MA, 1985
- [29] L. Hörmander, [Hypoelliptic second order differential equations](#). *Acta Math.* **119** (1967), 147–171
- [30] H. J. Hwang, J. Jang, and J. J. L. Velázquez, [The Fokker–Planck equation with absorbing boundary conditions](#). *Arch. Ration. Mech. Anal.* **214** (2014), no. 1, 183–233
- [31] H. J. Hwang, J. Jang, and J. J. L. Velázquez, [On the structure of the singular set for the kinetic Fokker–Planck equations in domains with boundaries](#). *Quart. Appl. Math.* **77** (2019), no. 1, 19–70
- [32] H. J. Hwang and J. Kim, [The Vlasov–Poisson–Fokker–Planck equation in an interval with kinetic absorbing boundary conditions](#). *Stochastic Process. Appl.* **129** (2019), no. 1, 240–282
- [33] S. Ivanov and N. Kalton, Interpolation of subspaces and applications to exponential bases (in Russian). *Algebra i Analiz* **13** (2001), no. 2, 93–115. English translation: *St. Petersburg Math. J.* **13** (2002), no. 2, 221–239
- [34] S. Iyer and N. Masmoudi, Higher regularity theory for a mixed-type parabolic equation. 2022, arXiv:2212.08735v1

- [35] S. Iyer and N. Masmoudi, Reversal in the stationary Prandtl equations. [v1] 2022, [v4] 2024, arXiv:2203.02845v4
- [36] S. Iyer and V. Vicol, [Real analytic local well-posedness for the triple deck](#). *Comm. Pure Appl. Math.* **74** (2021), no. 8, 1641–1684
- [37] H. Johnen and K. Scherer, [On the equivalence of the \$K\$ -functional and moduli of continuity and some applications](#). In *Constructive theory of functions of several variables (Proc. Conf., Math. Res. Inst., Oberwolfach, 1976)*, pp. 119–140, Lecture Notes in Math. 571, Springer, Berlin, 1977
- [38] J. J. Kohn and L. Nirenberg, [Degenerate elliptic-parabolic equations of second order](#). *Comm. Pure Appl. Math.* **20** (1967), 797–872
- [39] I. V. Kuznetsov, [Entropy solutions to a second order forward-backward parabolic differential equation](#). *Sib. Math. J.* **46** (2005), no. 3, 467–488
- [40] I. V. Kuznetsov, Traces of entropy solutions to second order forward-backward parabolic equations (in Russian). *Vestn. Novosib. Gos. Univ., Ser. Mat. Mekh. Inform.* **14** (2014), no. 1, 44–65. [English translation: J. Math. Sci. \(N.Y.\)](#) **211** (2015), no. 6, 767–788
- [41] P.-Y. Lagrée, [Interactive boundary layer \(IBL\)](#). In *Asymptotic methods in fluid mechanics: Survey and recent advances*, pp. 247–286, CISM Courses and Lect. 523, Springer, Vienna, 2010
- [42] J.-L. Lions, *Quelques méthodes de résolution des problèmes aux limites non linéaires*. Dunod, Paris, 1969
- [43] J. Löfström, [Real interpolation with constraints](#). *J. Approx. Theory* **82** (1995), no. 1, 30–53
- [44] J. Löfström, [Interpolation of subspaces](#). Tech. Rep. 1997-10, Chalmers University of Technology, Sweden, 1997
- [45] E. Magenes and J.-L. Lions, *Problèmes aux limites non homogènes et applications. Vol. I*. Travaux et Recherches Mathématiques 17, Dunod, Paris, 1968
- [46] J. E. McCarthy, [Geometric interpolation between Hilbert spaces](#). *Ark. Mat.* **30** (1992), no. 2, 321–330
- [47] F. Nier, [Boundary conditions and subelliptic estimates for geometric Kramers–Fokker–Planck operators on manifolds with boundaries](#). *Mem. Amer. Math. Soc.* **252** (2018), no. 1200, v+144
- [48] O. A. Oleĭnik and E. V. Radkevič, *Second order equations with nonnegative characteristic form*. Plenum Press, New York-London, 1973
- [49] O. A. Oleinik and V. N. Samokhin, *Mathematical models in boundary layer theory*. Appl. Math. Math. Comput. 15, Chapman & Hall/CRC, Boca Raton, FL, 1999
- [50] F. W. J. Olver, D. W. Lozier, R. F. Boisvert, and C. W. Clark (eds.), *NIST handbook of mathematical functions*. Cambridge University Press, Cambridge, 2010
- [51] C. D. Pagani, [On the parabolic equation \$\operatorname{sgn}\(x\)x^p u_y - u_{xx} = 0\$ and a related one](#). *Ann. Mat. Pura Appl. (4)* **99** (1974), 333–399
- [52] C. D. Pagani, [On an initial-boundary value problem for the equation \$w_t = w_{xx} - xw_y\$](#) . *Ann. Scuola Norm. Sup. Pisa Cl. Sci. (4)* **2** (1975), no. 2, 219–263

- [53] C. D. Pagani, On forward-backward parabolic equations in bounded domains. *Boll. Un. Mat. Ital. B (5)* **13** (1976), no. 2, 336–354
- [54] F. Paronetto, Existence results for a class of evolution equations of mixed type. *J. Funct. Anal.* **212** (2004), no. 2, 324–356
- [55] S. G. Pyatkov, On some classes of nonlocal boundary value problems for singular parabolic equations (in Russian). *Mat. Zametki* **106** (2019), no. 4, 578–594. [English translation: Math. Notes](#) **106** (2019), no. 4, 602–615
- [56] J. Rax, *Fluid boundary layers and degenerate elliptic equations*. Ph.D. thesis, Sorbonne Université, Paris, 2020, available at <https://theses.hal.science/tel-03620824>, visited on 17 August 2025
- [57] E. Schechter, *Handbook of analysis and its foundations*. Academic Press, San Diego, CA, 1997
- [58] W. Shen, Y. Wang, and Z. Zhang, Boundary layer separation and local behavior for the steady Prandtl equation. *Adv. Math.* **389** (2021), article no. 107896
- [59] K. Stewartson, On Goldstein’s theory of laminar separation. *Quart. J. Mech. Appl. Math.* **11** (1958), 399–410
- [60] V. Volpert, *Elliptic partial differential equations. Volume 1: Fredholm theory of elliptic problems in unbounded domains*. Monogr. Math. 101, Springer, Basel, 2011
- [61] V. Volpert, *Elliptic partial differential equations. Vol. 2. Reaction-diffusion equations*. Monogr. Math. 104, Springer, Basel, 2014
- [62] R. Wallstén, Remarks on interpolation of subspaces. In *Function spaces and applications (Lund, 1986)*, pp. 410–419, Lecture Notes in Math. 1302, Springer, Berlin, 1988
- [63] K. Zerulla, Interpolation of a regular subspace complementing the span of a radially singular function. *Studia Math.* **265** (2022), no. 2, 197–210