References

[1] V. I. Agoshkov, Spaces of functions with differential-difference characteristics and the smoothness of solutions of the transport equation. *Dokl. Akad. Nauk SSSR* **276** (1984), no. 6, 1289–1293. English translation: *Sov. Math., Dokl.* **29** (1984), 662–666

[2] S. Alinhac and P. Gérard, *Pseudo-differential operators and the Nash–Moser theorem*. Grad. Stud. Math. 82, American Mathematical Society, Providence, RI, 2007

[3] R. J. Alonso, B. Lods, and I. Tristani, Fluid dynamic limit of Boltzmann equation for granular hard-spheres in a nearly elastic regime. [v1] 2020, [v4] 2021, arXiv:2008.05173v4, to appear in Mém. Soc. Math. France

[4] A. A. Amsden, P. J. O'Rourke, and T. D. Butler, *KIVA-II: A computer program for chemically reactive flows with sprays*. Technical report LA-11560-MS, Los Alamos National Laboratory, Los Alamos, NM, 1989

[5] O. Anoshchenko and A. Boutet de Monvel-Berthier, The existence of the global generalized solution of the system of equations describing suspension motion. *Math. Methods Appl. Sci.* **20** (1997), no. 6, 495–519

[6] D. Arsénio and N. Lerner, An energy method for averaging lemmas. *Pure Appl. Anal.* **3** (2021), no. 2, 319–362

[7] D. Arsénio and N. Masmoudi, A new approach to velocity averaging lemmas in Besov spaces. *J. Math. Pures Appl. (9)* **101** (2014), no. 4, 495–551

[8] D. Arsénio and L. Saint-Raymond, Compactness in kinetic transport equations and hypoellipticity. *J. Funct. Anal.* **261** (2011), no. 10, 3044–3098

[9] K. Asano, On local solutions of the initial value problem for the Vlasov–Maxwell equation. *Comm. Math. Phys.* **106** (1986), no. 4, 551–568

[10] H. Bahouri, J.-Y. Chemin, and R. Danchin, *Fourier analysis and nonlinear partial differential equations*. Grundlehren Math. Wiss. 343, Springer, Heidelberg, 2011

[11] A. Baradat, Nonlinear instability in Vlasov type equations around rough velocity profiles. *Ann. Inst. H. Poincaré C Anal. Non Linéaire* **37** (2020), no. 3, 489–547

[12] A. Baradat, L. Ertzbischoff, and D. Han-Kwan, On ill-posedness issues for thick spray equations (working title). In preparation

[13] C. Baranger, Modelling of oscillations, breakup and collisions for droplets: The establishment of kernels for the T.A.B. model. *Math. Models Methods Appl. Sci.* **14** (2004), no. 5, 775–794

[14] C. Baranger and L. Desvillettes, Coupling Euler and Vlasov equations in the context of sprays: The local-in-time, classical solutions. *J. Hyperbolic Differ. Equ.* **3** (2006), no. 1, 1–26

[15] C. Bardos, About a variant of the 1*d* Vlasov equation, dubbed "Vlasov–Dirac–Benney equation". In *Séminaire Laurent Schwartz—Équations aux dérivées partielles et applications. Année 2012–2013*, Exp. no. XV, École Polytechnique, Palaiseau, 2014

[16] C. Bardos and N. Besse, The Cauchy problem for the Vlasov–Dirac–Benney equation and related issues in fluid mechanics and semi-classical limits. *Kinet. Relat. Models* **6** (2013), no. 4, 893–917

[17] C. Bardos and N. Besse, Hamiltonian structure, fluid representation and stability for the Vlasov–Dirac–Benney equation. In *Hamiltonian partial differential equations and applications*, pp. 1–30, Fields Inst. Commun. 75, Fields Institute for Research in Mathematical Sciences, Toronto, ON, 2015

[18] C. Bardos and A. Nouri, A Vlasov equation with Dirac potential used in fusion plasmas. *J. Math. Phys.* **53** (2012), no. 11, article no. 115621

[19] J. Bedrossian, N. Masmoudi, and C. Mouhot, Landau damping: Paraproducts and Gevrey regularity. *Ann. PDE* **2** (2016), no. 1, article no. 4

[20] S. Benjelloun, L. Desvillettes, J. M. Ghidaglia, and K. Nielsen, Modeling and simulation of thick sprays through coupling of a finite volume Euler equation solver and a particle method for a disperse phase. *Note Mat.* **32** (2012), no. 1, 63–85

[21] S. Benzoni-Gavage and D. Serre, *Multi-dimensional hyperbolic partial differential equations*. Oxford Math. Monogr., Oxford University Press, Oxford, 2007

[22] E. Bernard, L. Desvillettes, F. Golse, and V. Ricci, A derivation of the Vlasov–Navier–Stokes model for aerosol flows from kinetic theory. *Commun. Math. Sci.* **15** (2017), no. 6, 1703–1741

[23] E. Bernard, L. Desvillettes, F. Golse, and V. Ricci, A derivation of the Vlasov–Stokes system for aerosol flows from the kinetic theory of binary gas mixtures. *Kinet. Relat. Models* **11** (2018), no. 1, 43–69

[24] M. Bossy, J. Fontbona, P.-E. Jabin, and J.-F. Jabir, Local existence of analytical solutions to an incompressible Lagrangian stochastic model in a periodic domain. *Comm. Partial Differential Equations* **38** (2013), no. 7, 1141–1182

[25] L. Boudin, L. Desvillettes, C. Grandmont, and A. Moussa, Global existence of solutions for the coupled Vlasov and Navier–Stokes equations. *Differential Integral Equations* **22** (2009), no. 11-12, 1247–1271

[26] L. Boudin, L. Desvillettes, and R. Motte, A modeling of compressible droplets in a fluid. *Commun. Math. Sci.* **1** (2003), no. 4, 657–669

[27] L. Boudin, C. Grandmont, B. Grec, S. Martin, A. Mecherbet, and F. Noël, Fluid-kinetic modelling for respiratory aerosols with variable size and temperature. In *CEMRACS 2018—numerical and mathematical modeling for biological and medical applications: Deterministic, probabilistic and statistical descriptions*, pp. 100–119, ESAIM Proc. Surveys 67, EDP Sciences, Les Ulis, 2020

[28] L. Boudin, C. Grandmont, A. Lorz, and A. Moussa, Modelling and numerics for respiratory aerosols. *Commun. Comput. Phys.* **18** (2015), no. 3, 723–756

[29] L. Boudin, C. Grandmont, and A. Moussa, Global existence of solutions to the incompressible Navier–Stokes–Vlasov equations in a time-dependent domain. *J. Differential Equations* **262** (2017), no. 3, 1317–1340

[30] L. Boudin and D. Michel, Three-dimensional numerical study of a fluid-kinetic model for respiratory aerosols with variable size and temperature. *J. Comput. Theor. Transp.* **50** (2021), no. 5, 507–527

[31] L. Boudin, D. Michel, and A. Moussa, Global existence of weak solutions to the incompressible Vlasov–Navier–Stokes system coupled to convection-diffusion equations. *Math. Models Methods Appl. Sci.* **30** (2020), no. 8, 1485–1515

[32] F. Boyer and P. Fabrie, *Mathematical tools for the study of the incompressible Navier–Stokes equations and related models*. Appl. Math. Sci. 183, Springer, New York, 2013

[33] Y. Brenier, Convergence of the Vlasov–Poisson system to the incompressible Euler equations. *Comm. Partial Differential Equations* **25** (2000), no. 3-4, 737–754

[34] Y. Brenier and E. Grenier, Limite singulière du système de Vlasov–Poisson dans le régime de quasi neutralité: Le cas indépendant du temps. *C. R. Acad. Sci. Paris Sér. I Math.* **318** (1994), no. 2, 121–124

[35] D. Bresch and B. Desjardins, Existence of global weak solutions for a 2D viscous shallow water equations and convergence to the quasi-geostrophic model. *Comm. Math. Phys.* **238** (2003), no. 1-2, 211–223

[36] D. Bresch and B. Desjardins, On the construction of approximate solutions for the 2D viscous shallow water model and for compressible Navier–Stokes models. *J. Math. Pures Appl. (9)* **86** (2006), no. 4, 362–368

[37] D. Bresch and P.-E. Jabin, Global existence of weak solutions for compressible Navier–Stokes equations: Thermodynamically unstable pressure and anisotropic viscous stress tensor. *Ann. of Math. (2)* **188** (2018), no. 2, 577–684

[38] D. Bresch, A. F. Vasseur, and C. Yu, Global existence of entropy-weak solutions to the compressible Navier–Stokes equations with non-linear density dependent viscosities. *J. Eur. Math. Soc. (JEMS)* **24** (2022), no. 5, 1791–1837

[39] C. Buet, B. Després, and L. Desvillettes, Linear stability of thick sprays equations. *J. Stat. Phys.* **190** (2023), no. 3, article no. 53

[40] A. P. Calderón and R. Vaillancourt, On the boundedness of pseudo-differential operators. *J. Math. Soc. Japan* **23** (1971), no. 2, 374–378

[41] K. Carrapatoso, D. Han-Kwan, and F. Rousset, Wellposedness of singular Vlasov equations under optimal stability conditions (working title). In preparation

[42] K. Carrapatoso and M. Hillairet, On the derivation of a Stokes–Brinkman problem from Stokes equations around a random array of moving spheres. *Comm. Math. Phys.* **373** (2020), no. 1, 265–325

[43] F. Charve and R. Danchin, A global existence result for the compressible Navier–Stokes equations in the critical L^p framework. *Arch. Ration. Mech. Anal.* **198** (2010), no. 1, 233–271

[44] T. Chaub, Local well-posedness for a class of singular Vlasov equations. *Kinet. Relat. Models* **16** (2023), no. 2, 187–206

[45] Y.-P. Choi, Finite-time blow-up phenomena of Vlasov/Navier–Stokes equations and related systems. *J. Math. Pures Appl. (9)* **108** (2017), no. 6, 991–1021

[46] Y.-P. Choi and J. Jung, On regular solutions and singularity formation for Vlasov/Navier–Stokes equations with degenerate viscosities and vacuum. *Kinet. Relat. Models* **15** (2022), no. 5, 843–891

[47] Y.-P. Choi and J. Jung, Local well-posedness for the compressible Navier–Stokes–BGK model in Sobolev spaces with exponential weight. *Math. Models Methods Appl. Sci.* **34** (2024), no. 2, 285–344

[48] Y.-P. Choi, K. Kang, H. K. Kim, and J.-M. Kim, Temporal decays and asymptotic behaviors for a Vlasov equation with a flocking term coupled to incompressible fluid flow. *Nonlinear Anal. Real World Appl.* **63** (2022), article no. 103410

[49] Y.-P. Choi and B. Kwon, Global well-posedness and large-time behavior for the inhomogeneous Vlasov–Navier–Stokes equations. *Nonlinearity* **28** (2015), no. 9, 3309–3336

[50] R. Danchin, Global existence in critical spaces for compressible Navier–Stokes equations. *Invent. Math.* **141** (2000), no. 3, 579–614

[51] R. Danchin, Global existence in critical spaces for flows of compressible viscous and heat-conductive gases. *Arch. Ration. Mech. Anal.* **160** (2001), no. 1, 1–39

[52] R. Danchin, Local theory in critical spaces for compressible viscous and heat-conductive gases. *Comm. Partial Differential Equations* **26** (2001), no. 7-8, 1183–1233

[53] R. Danchin, *Fourier analysis methods for PDE's*. Lecture notes, 2005, https://perso.math.u-pem.fr/danchin.raphael/cours/courschine.pdf visited on 17 July 2025

[54] R. Danchin, On the uniqueness in critical spaces for compressible Navier–Stokes equations. *NoDEA Nonlinear Differential Equations Appl.* **12** (2005), no. 1, 111–128

[55] R. Danchin, Fujita–Kato solutions and optimal time decay for the Vlasov–Navier–Stokes system in the whole space. 2024, arXiv:2405.09937v1

[56] R. Danchin, F. Fanelli, and M. Paicu, A well-posedness result for viscous compressible fluids with only bounded density. *Anal. PDE* **13** (2020), no. 1, 275–316

[57] R. Danchin and P. Tolksdorf, Critical regularity issues for the compressible Navier–Stokes system in bounded domains. *Math. Ann.* **387** (2023), no. 3-4, 1903–1959

[58] S. De Chaisemartin, *Modèles eulériens et simulation numérique de la dispersion turbulente de brouillards qui s'évaporent*. Ph.D. thesis, École Centrale Paris, 2009, https://theses.hal.science/tel-00443982 visited on 17 July 2025

[59] L. Desvillettes, Some aspects of the modeling at different scales of multiphase flows. *Comput. Methods Appl. Mech. Engrg.* **199** (2010), no. 21-22, 1265–1267

[60] L. Desvillettes, F. Golse, and V. Ricci, The mean-field limit for solid particles in a Navier–Stokes flow. *J. Stat. Phys.* **131** (2008), no. 5, 941–967

[61] L. Desvillettes and J. Mathiaud, Some aspects of the asymptotics leading from gas-particles equations towards multiphase flows equations. *J. Stat. Phys.* **141** (2010), no. 1, 120–141

[62] R. J. DiPerna and P.-L. Lions, Global weak solutions of Vlasov–Maxwell systems. *Comm. Pure Appl. Math.* **42** (1989), no. 6, 729–757

[63] R. J. DiPerna and P.-L. Lions, Ordinary differential equations, transport theory and Sobolev spaces. *Invent. Math.* **98** (1989), no. 3, 511–547

[64] J. K. Dukowicz, A particle-fluid numerical model for liquid sprays. *J. Comput. Phys.* **35** (1980), no. 2, 229–253

[65] L. Ertzbischoff, Decay and absorption for the Vlasov–Navier–Stokes system with gravity in a half-space. *Indiana Univ. Math. J.* **73** (2024), no. 1, 1–80

[66] L. Ertzbischoff, Global derivation of a Boussinesq–Navier–Stokes type system from fluid-kinetic equations. *Ann. Fac. Sci. Toulouse Math. (6)* **33** (2024), no. 4, 1059–1154

[67] L. Ertzbischoff, D. Han-Kwan, and A. Moussa, Concentration versus absorption for the Vlasov–Navier–Stokes system on bounded domains. *Nonlinearity* **34** (2021), no. 10, 6843–6900

[68] E. Feireisl, A. Novotný, and H. Petzeltová, On the existence of globally defined weak solutions to the Navier–Stokes equations. *J. Math. Fluid Mech.* **3** (2001), no. 4, 358–392

[69] V. Fournet, C. Buet, and B. Després, Local-in-time existence of strong solutions to an averaged thick sprays model. *Kinet. Relat. Models* **17** (2024), no. 4, 606–633

[70] P. Gao, H. R. Wakeford, S. E. Moran, and V. Parmentier, Aerosols in exoplanet atmospheres. *J. Geophys. Res.* **126** (2021), no. 4, article no. e2020JE006655

[71] F. Golse, P.-L. Lions, B. Perthame, and R. Sentis, Regularity of the moments of the solution of a transport equation. *J. Funct. Anal.* **76** (1988), no. 1, 110–125

[72] F. Golse, B. Perthame, and R. Sentis, Un résultat de compacité pour les équations de transport et application au calcul de la limite de la valeur propre principale d'un opérateur de transport. *C. R. Acad. Sci. Paris Sér. I Math.* **301** (1985), no. 7, 341–344

[73] F. Golse and L. Saint-Raymond, Velocity averaging in L^1 for the transport equation. *C. R. Math. Acad. Sci. Paris* **334** (2002), no. 7, 557–562

[74] E. Grenier, Defect measures of the Vlasov–Poisson system in the quasineutral regime. *Comm. Partial Differential Equations* **20** (1995), no. 7-8, 1189–1215

[75] E. Grenier, Oscillations in quasineutral plasmas. *Comm. Partial Differential Equations* **21** (1996), no. 3-4, 363–394

[76] E. Grenier, T. T. Nguyen, and I. Rodnianski, Landau damping for analytic and Gevrey data. *Math. Res. Lett.* **28** (2021), no. 6, 1679–1702

[77] K. Hamdache, Global existence and large time behaviour of solutions for the Vlasov–Stokes equations. *Japan J. Indust. Appl. Math.* **15** (1998), no. 1, 51–74

[78] D. Han-Kwan, Quasineutral limit of the Vlasov–Poisson system with massless electrons. *Comm. Partial Differential Equations* **36** (2011), no. 8, 1385–1425

[79] D. Han-Kwan, On propagation of higher space regularity for nonlinear Vlasov equations. *Anal. PDE* **12** (2019), no. 1, 189–244

[80] D. Han-Kwan, Large-time behavior of small-data solutions to the Vlasov–Navier–Stokes system on the whole space. *Probab. Math. Phys.* **3** (2022), no. 1, 35–67

[81] D. Han-Kwan and M. Hauray, Stability issues in the quasineutral limit of the one-dimensional Vlasov–Poisson equation. *Comm. Math. Phys.* **334** (2015), no. 2, 1101–1152

[82] D. Han-Kwan and M. Iacobelli, Quasineutral limit for Vlasov–Poisson via Wasserstein stability estimates in higher dimension. *J. Differential Equations* **263** (2017), no. 1, 1–25

[83] D. Han-Kwan and M. Iacobelli, The quasineutral limit of the Vlasov–Poisson equation in Wasserstein metric. *Commun. Math. Sci.* **15** (2017), no. 2, 481–509

[84]   D. Han-Kwan and D. Michel, On hydrodynamic limits of the Vlasov–Navier–Stokes system. *Mem. Amer. Math. Soc.* **302** (2024), no. 1516

[85]   D. Han-Kwan, É. Miot, A. Moussa, and I. Moyano, Uniqueness of the solution to the 2D Vlasov–Navier–Stokes system. *Rev. Mat. Iberoam.* **36** (2020), no. 1, 37–60

[86]   D. Han-Kwan, A. Moussa, and I. Moyano, Large time behavior of the Vlasov–Navier–Stokes system on the torus. *Arch. Ration. Mech. Anal.* **236** (2020), no. 3, 1273–1323

[87]   D. Han-Kwan and T. T. Nguyen, Ill-posedness of the hydrostatic Euler and singular Vlasov equations. *Arch. Ration. Mech. Anal.* **221** (2016), no. 3, 1317–1344

[88]   D. Han-Kwan, T. T. Nguyen, and F. Rousset, Long time estimates for the Vlasov–Maxwell system in the non-relativistic limit. *Comm. Math. Phys.* **363** (2018), no. 2, 389–434

[89]   D. Han-Kwan, T. T. Nguyen, and F. Rousset, Asymptotic stability of equilibria for screened Vlasov–Poisson systems via pointwise dispersive estimates. *Ann. PDE* **7** (2021), no. 2, article no. 18

[90]   D. Han-Kwan and F. Rousset, Quasineutral limit for Vlasov–Poisson with Penrose stable data. *Ann. Sci. Éc. Norm. Supér. (4)* **49** (2016), no. 6, 1445–1495

[91]   D. Han-Kwan and F. Rousset, From Vlasov–Poisson to the kinetic incompressible Euler equation (working title). In preparation

[92]   E. Heulhard de Montigny, *Thermo-hydro-dynamic consistency and stiffness in general compressible multiphase flows*. Ph.D. thesis, Université Université Paris-Saclay, 2021, https://theses.hal.science/tel-03821804 visited on 17 July 2025

[93]   M. Hillairet, On the homogenization of the Stokes problem in a perforated domain. *Arch. Ration. Mech. Anal.* **230** (2018), no. 3, 1179–1228

[94]   M. Hillairet, Derivation of the Stokes–Brinkman problem and extension to the Darcy regime. *J. Elliptic Parabol. Equ.* **7** (2021), no. 2, 341–360

[95]   M. Hillairet, A. Moussa, and F. Sueur, On the effect of polydispersity and rotation on the Brinkman force induced by a cloud of particles on a viscous incompressible flow. *Kinet. Relat. Models* **12** (2019), no. 4, 681–701

[96]   R. M. Höfer, The inertialess limit of particle sedimentation modeled by the Vlasov–Stokes equations. *SIAM J. Math. Anal.* **50** (2018), no. 5, 5446–5476

[97]   R. M. Höfer and J. Jansen, Convergence rates and fluctuations for the Stokes–Brinkman equations as homogenization limit in perforated domains. *Arch. Ration. Mech. Anal.* **248** (2024), no. 3, article no. 50

[98]   R. M. Höfer and R. Schubert, Sedimentation of particles with very small inertia II: Derivation, Cauchy problem and hydrodynamic limit of the Vlasov–Stokes equation. 2023, arXiv:2311.01891v1

[99]   R. M. Höfer and R. Schubert, Sedimentation of particles with very small inertia I: Convergence to the transport-Stokes equation. *Duke Math. J.* **174** (2025), no. 4, 615–684

[100] D. Hoff, Global existence for 1D, compressible, isentropic Navier–Stokes equations with large initial data. *Trans. Amer. Math. Soc.* **303** (1987), no. 1, 169–181

[101] D. Hoff and K. Zumbrun, Multi-dimensional diffusion waves for the Navier–Stokes equations of compressible flow. *Indiana Univ. Math. J.* **44** (1995), no. 2, 603–676

[102] I. L. Hwang, The L^2-boundedness of pseudodifferential operators. *Trans. Amer. Math. Soc.* **302** (1987), no. 1, 55–76

[103] M. Ishii and T. Hibiki, *Thermo-fluid dynamics of two-phase flow*. Second edn., Springer, New York, 2011

[104] P.-E. Jabin, H.-Y. Lin, and E. Tadmor, Commutator method for averaging lemmas. *Anal. PDE* **15** (2022), no. 6, 1561–1584

[105] P.-E. Jabin and A. Nouri, Analytic solutions to a strongly nonlinear Vlasov equation. *C. R. Math. Acad. Sci. Paris* **349** (2011), no. 9-10, 541–546

[106] P.-E. Jabin and L. Vega, A real space method for averaging lemmas. *J. Math. Pures Appl. (9)* **83** (2004), no. 11, 1309–1351

[107] B. L. Keyfitz, R. Sanders, and M. Sever, Lack of hyperbolicity in the two-fluid model for two-phase incompressible flow. *Discrete Contin. Dyn. Syst. Ser. B* **3** (2003), no. 4, 541–563

[108] F. Laurent, *Modélisation mathématique et numérique de la combustion de brouillards de gouttes polydispersés*. Ph.D. thesis, Université Claude Bernard Lyon 1, 2002, https://theses.hal.science/tel-00185806 visited on 17 July 2025

[109] P.-L. Lions, *Mathematical topics in fluid mechanics. Vol. 2*. Oxford Lecture Ser. Math. Appl. 10, Clarendon Press, Oxford, 1998

[110] H. Liu, *Science and engineering of droplets*. Noyes Publications, Norwich, NY, 2000

[111] A. J. Majda and A. L. Bertozzi, *Vorticity and incompressible flow*. Cambridge Texts Appl. Math. 27, Cambridge University Press, Cambridge, 2002

[112] N. Masmoudi, From Vlasov–Poisson system to the incompressible Euler system. *Comm. Partial Differential Equations* **26** (2001), no. 9-10, 1913–1928

[113] M. Massot and P. Villedieu, Modélisation multi-fluide eulérienne pour la simulation de brouillards denses polydispersés. *C. R. Acad. Sci. Paris Sér. I Math.* **332** (2001), no. 9, 869–874

[114] T. A. Mather, D. M. Pyle, and C. Oppenheimer, Tropospheric volcanic aerosol. In *Volcanism and the Earth's atmosphere*, pp. 189–212, Geophys. Monogr. Ser. 139, American Geophysical Union, Washington, DC, 2003

[115] J. Mathiaud, Local smooth solutions of a thin spray model with collisions. *Math. Models Methods Appl. Sci.* **20** (2010), no. 2, 191–221

[116] A. Matsumura and T. Nishida, The initial value problem for the equations of motion of viscous and heat-conductive gases. *J. Math. Kyoto Univ.* **20** (1980), no. 1, 67–104

[117] A. Matsumura and T. Nishida, Initial-boundary value problems for the equations of motion of compressible viscous and heat-conductive fluids. *Comm. Math. Phys.* **89** (1983), no. 4, 445–464

[118] A. Mellet and A. Vasseur, On the barotropic compressible Navier–Stokes equations. *Comm. Partial Differential Equations* **32** (2007), no. 3, 431–452

[119] G. Métivier, Stability of multidimensional shocks. In *Advances in the theory of shock waves*, pp. 25–103, Progr. Nonlinear Differential Equations Appl. 47, Birkhäuser, Boston, MA, 2001

[120] G. Métivier and K. Zumbrun, Large viscous boundary layers for noncharacteristic non-linear hyperbolic problems. *Mem. Amer. Math. Soc.* **175** (2005), no. 826

[121] C. Mouhot and C. Villani, On Landau damping. *Acta Math.* **207** (2011), no. 1, 29–201

[122] J. Nash, Le problème de Cauchy pour les équations différentielles d'un fluide général. *Bull. Soc. Math. France* **90** (1962), 487–497

[123] M. Ndjinga, A. Kumbaro, F. de Vuyst, and P. Laurent-Gengoux, Influence of interfacial forces on the hyperbolicity of the two-fluid model. In *5th International Symposium on Multiphase Flow, Heat Mass Transfer and Energy Conversion*, Xi'an, China, 2005, https://hal.science/hal-00019387 visited on 17 July 2025

[124] P. J. O'Rourke, *Collective drop effects on vaporizing liquid sprays*. Technical report LA-9069-T, Los Alamos National Laboratory, Los Alamos, NM, 1981, https://www.osti.gov/biblio/5201366 visited on 17 July 2025

[125] P. J. O'Rourke and A. A. Amsden, *The TAB method for numerical calculation of spray droplet breakup*. Technical report LA-UR-87-2105-Rev., Los Alamos National Laboratory, Los Alamos, NM, 1987

[126] P. J. O'Rourke, P. Zhao, and D. Snider, A model for collisional exchange in gas/liquid/solid fluidized beds. *Chem. Eng. Sci.* **64** (2009), no. 8, 1784–1797

[127] B. Perthame and P. E. Souganidis, A limiting case for velocity averaging. *Ann. Sci. École Norm. Sup. (4)* **31** (1998), no. 4, 591–598

[128] D. Ramos, *Quelques résultats mathématiques et simulations numériques d'écoulements régis par des modèles bifluides*. Ph.D. thesis, École normale supérieure de Cachan, 2000, https://theses.hal.science/tel-00001347 visited on 20 July 2025

[129] R. D. Reitz, *Computer modeling of sprays*. Spray Technology Short Course, Pittsburgh, PA, 1996

[130] F. Rousset, Stability of large Ekman boundary layers in rotating fluids. *Arch. Ration. Mech. Anal.* **172** (2004), no. 2, 213–245

[131] J. Serrin, On the uniqueness of compressible fluid motions. *Arch. Rational Mech. Anal.* **3** (1959), 271–288 (1959)

[132] V. Solonnikov, Solvability of the initial-boundary-value problem for the equations of motion of a viscous compressible fluid. *J. Sov. Math.* **14** (1980), no. 2, 1120–1133

[133] A. F. Vasseur and C. Yu, Existence of global weak solutions for 3D degenerate compressible Navier–Stokes equations. *Invent. Math.* **206** (2016), no. 3, 935–974

[134] F. Veron and L. Mieussens, An Eulerian model for sea spray transport and evaporation. *J. Fluid Mech.* **897** (2020), article no. A6

[135] C. Villani, Mathematics of granular materials. *J. Stat. Phys.* **124** (2006), no. 2-4, 781–822

[136] R. A. West, D. F. Strobel, and M. G. Tomasko, Clouds, aerosols, and photochemistry in the Jovian atmosphere. *Icarus* **65** (1986), no. 2-3, 161–217

[137] F. A. Williams, *Combustion theory*. Second edn., Benjamin/Cummings, Menlo Park, CA, 1985