Contents

1 Introduction 1
- 1.1 Stability and graph regularity 1
- 1.2 Stable group theory and linear arithmetic regularity 2
- 1.3 The search for higher arity stability 3
- 1.4 Formal introduction to tame linear arithmetic regularity 4
- 1.5 Main results 8
- 1.6 Connections to work on hypergraphs 16
- 1.7 Future directions 17

2 Preliminaries 19
- 2.1 Notation 19
- 2.2 Linear and quadratic factors 20

3 Basic properties of FOP_2 and important examples 25
- 3.1 Relationships between FOP_2 and other notions of tameness 26
- 3.2 Properties of quadratic atoms 30
- 3.3 The linear Green–Sanders example 34
- 3.4 The quadratic Green–Sanders example 39

4 Sufficient conditions for k-FOP_2 and k-IP_2 49
- 4.1 Counting lemmas 49
- 4.2 Reduced structure 54

5 Proof of Theorem 1.19 61
- 5.1 Translating orders to trees 61
- 5.2 Encoding trees in 3-colorings 63
- 5.3 Distribution of tree encodings in pairs arising from 3-colorings 64
- 5.4 Reduction to Theorem 5.11 68
- 5.5 A preliminary generalized stable regularity lemma 78
- 5.6 Iterating to obtain a stronger version 85

A Hypergraph formulations of the main theorems 93
- A.1 Regularity for hypergraphs 93
- A.2 Graphs arising from quadratic factors 96
- A.3 Triads arising from quadratic factors 100
- A.4 Special hypergraph regularity for ternary sum-graphs 105

B Lemmas from Chapter 5 109

C Companion results to Chapter 3 113
C.1 Unions of quadratic atoms have no k-HOP$_2$ 113
C.2 $A_{\mathrm{GS}}(3, n)$ has no 4-HOP$_2$ 119

References 131